

**11524—82**

Plain bearings flange bearing bloks  
with four bolt holes. Design and dimensions.

**11524—65**

418000

**26 -**

**1982 . 273**

**01.07.83**

1.

-


-

**11525—82.**

2. ,

.

. **1994 .**



	$\begin{matrix} D \\ \text{8) } \end{matrix}$	$\begin{matrix} D' \\ \text{9) } \end{matrix}$	$L$	$bt$	»
28	28	36	67	95	<b>45</b> 120 70 40 20 10 14 11 <u>11</u>
32	32	40	75	100	<b>55</b> 125 80 50 23 14 15 13 25
35	35	45			18
40	40	50	85	130	<b>60</b> 165 95 63 25 22 23
45	45	55			17 35
50	50	60	90	140	<b>65</b> 175 <u>100</u> 80 25 22 26
55	55	65	100	150	<b>75</b> 185 <u>110</u> 30
63	63	73	<b>110</b>		<b>80</b> 190 <u>120</u> 100 30 31 22 40
70	70	85	130	180	<b>100</b> 220 <u>140</u> 32 34 24 35
80	80	95	<b>140</b>	190	<b>110</b> 240 <u>160</u>
90	90	105	160	210	<b>120</b> 260 <u>170</u> 125 26 50
100	100	115	180	230	<b>140</b> 280 <u>190</u> 35 26
	110	125	190	240	<b>150</b> 290 <u>200</u>
125	125	140	210	270	<b>170</b> <u>230</u> 160 40 41
140	140	155	230	280	<b>180</b> 240
160	160	180	240	300	<b>190</b> 360 250 200 40 30 13 <b>50</b>
180	180	200	260	320	210 380 270

$d=70$  :

70 11524—82  
— 25106—82.

3.  
4.

11522—82.