

11611—82

Plain bearings metal half-liners for split bearing blocks. Design and dimensions.

11611—65


418250

26 -**1982 . 275****01.07.85**

1.

11607-82 — 11610-82
 $5,9 \times 60 / 2$,
 $3 /$

2.

**1994 .**

	(. 8) .	(D , s7) ,	,	L	(I . 8) .		
25X25	25	32	F8	25	18	3,5	
28X25	28	36	42				0,5
25X32	25	32	38				
28X32	28	36	42	32			
32X32	32	40	46		24	4,0	
35X32	35	45	50				
32X40	32	40	46			8,0	
35X40	35	45	50	40			
40X40	40	50	58			5,0	
45X40	45	55	63		30		
40X50	40	50	58			10,0	
45X50	45	55	63	50			0,8
50X50	50	60	68			5,0	
55X50	55	65	73		40		
50X63	50	60	68	63		11,5	
55X63	55	65	73				
50X80	50	60	68				
55X80	55	65	73	80	70		
63X80	63	78	86				5,0
70X80	70	85	95				
63X100	63	78	86		90		
70X100	70	85	95	100			
80X100	80	95	105				
90X100	90	110	120		85	7,5	1,0
80X125	80	95	105				
90X125	90	110	120	125	110	7,5	
100X125	100	120	130				
110X125	110	130	140				

<<

	($\frac{d}{8}$) .	($\frac{D}{7}$) .	Di	L	($\frac{l}{8}$) .	b	
100X160	100	120	130				
110X160	1.10	130		160	140	10,0	1,0
125X160							
125X200	125	145	155	200	180	10,0	
140X160				160	140	10,0	
140X200	140	160	170	200	180	10,0	
140X250				250	230	10,0	
160X200				200	180	10,0	
160X250	160	185	200	250	230	10,0	
180X250				250	220	15,0	2,0
180X320	130	210	220	320	280	15,0	
200X250				250	220	15,0	
200X320	200	230	240	320	290	15,0	
220X250				250	220	15,0	
220X320	220	250	260	320	290	15,0	

rf = 50 , L = 63 :

50X63




11611—82

3.
4.

—

25105—82.

-



1— ; 2— . 1

1— ; 2— . 2

<i>d</i>			<i>h</i>	<i>d</i>	.		<i>h</i>
25				80			
28	1.0			90			
32				100	2,5	5,0	4,2
36				110			
40		3,5	3,6	125			
45	1.8			140			
50				160	2,8	6,0	5,2
56				180			
63				200			
71	2,5	5,0	4,2	220	3,0	8,0	6,2

. 1, 2