

13959-74

Unions for tube connections on external cone.  
Construction and dimensions


13959—68

10            1974 .    2124

01.07.75

1985 .

1.



1988 .

$D_H$	• h					1		100		
		$d$	$D$		S	$\pm 0,3$	$L$	-		
3		1,7	8 1	11,5	10	13	31	-	-	0,86
4		2,7	10 1	13,8	12	14	33	-	1,42	1,37
6		3,7	12 1	16,2	14	15	36	0,85	2,37	2,28
8		5,5	14 1	19,6	17				1,18	3,29
10		7,5	16 1				16	38	1,37	3,82
12		9,5	20 X1,5	25,4	22	20	46	2,31	6,44	6,20
14		11,5	22 1,5	27,7	24			2,95	8,23	7,82
16		13,5	24 X1,5	31,2	27	21	49	3,68	10,25	9,87
18		15,5	27 1,5	34,6	30			4,68	13,05	12,55
20		17,0	1,5	36,9	32	22	52	6,15	17,15	16,50
22		19,0	2	41 ,6	36	26	60	6,86	19,15	
25		22,0						8,40	23,50	
28		25,0	39 2	47,3	41	27	62	9,42	26,30	
30		27,0						9,60	26,78	
32		28,0	42 2	53,1	46			10,50	29,28	
34		30,0	45 2			28	64	13,00	36,25	
36		32,0	48 2	57,7	50	29	66	14,88	41,40	
38		34,0							15,33	42,80

) = 14

14—31

13959 74

45:

14—22

13959 74

12 18 9 :

14—13

13959 74

13 11 2 2 :

14—

13959 74

:

14—41

13959 74

, :

14—31 13959—74

14—22 13959—74

14—13 13959—74

14—11 13959—74

14—41 13959—74

2. — 13955—74.

3. — 13977—74.

4. — 13977—74.