

13964.74

Union tees for tube connections on external cone.
Construction and dimensions


13964—68

10 1974 . 2124

01.07.75

1985 .

1.



*

(1988 .) 5 1,
1980 . (3—81).

	°	d	D	D,		1	L		100 „			
						±0,3			-	-		
3		1,7	1	6	7	11	38	5	-	-	1,17	
4		2,7	10 1	8	10	12	42	6	—	2,01	1,93	
6		3,7	12 1	10	12	13	46		1,13	3,21	3,08	
8		5,5	14 1	12	14		48	7	1,70	4,82	4,63	
10		7,5	16 1	14	17	14	52	9	2,17	6,17	5,91	
12		9,5	20 1,5	16	19	17	62	10	3,34	9,48	9,10	
14		11,5	22 1.5	18	22		66	13	4,21	11,95	11,45	
16		13,5	24 1.5	20		18	70	15	5,25	14,90	14,30	
18		15,5	27 1.5	22	24		74	17	6,87	19,50	18,71	
20		17,0	30 2	24	27	19	78	18	8,96	25,45	24,40	
22		19,0	2	27		: 22	86	21	9,61	27,30	-	
25		22,0		28	30		88	22	11,81	33,50		
28		25,0	39 X 2	34	36	23	98	28	14,31	40,70		
30		27,0							15,20	43,20		
32		28,0	42 X 2	38	41	24	104	30	16,95	48,20		
34		30,0	45 2						20,56	58,20		
36		32,0	48 2	43	46	25			23,98	67,80		
38		34,0							25,56	72,40		

D_н = 12

:

12 31

13964—74

45:

12 22

13964—74

12 18 9 :

12—13

13964—74

13 11 2 2 :

12—

13964—74

3 13964—74

, :

12—41 13964—74

, :

12—31 13964—74

12—22 13964—74

12—13 13964—74

12 13964—74

12—41 13964 74

(, . 1).

2. — 13955—74.

3. — 13977—74.

4. — 13977—74.