

13966-74

Range union tees for tube connections on external cone.
Construction and dimensions

13966—68

10 1974 . 2124

01.07.75

1985 .

1.

2.


I

. 1

. 1.

1988 .

Rz4€/.
V()



	00	00 4»		to 00	to	to	20	18	s	4	5		00	05	4	CO	?	
4	,	to	8	00	to -4	to	to -C	"o	*-b	^3	—	CO			^3	CO "-3	to —4 " <1	
48 2	»	X to	§? X to	X to	X to	X —*	X "	% to 4^	S IS IS to 10 105 XXX —11— 11	g 4 X	g to —X—»	S_1 §o X —*					to	
4-		»	4	to 00	to -	to 4	to to	to	*—*	1 05	4			00	05	to		
-				©	4	4b	CO		to 05	to	to	to	OO	t 4b		to		
94	14	36	CO	to	to to	to	to	CD	4	4	4	to		-4	(
to	N5	to -		to			+mmL oo	1	4		CO	to			-i 0,5	"*)		
4*	4	4 to		8	05	CO	CO		to CP	to 4	to 05	to		4b		-		
			!									H-						
			4*															
		-						~l 4s*	-vj	8	05 to	to	4 00	4 05	4b to	CO 00	-	
	"1 05	4	OS	8	'-1			4b CP	4 05	4 CO	4	CO CD	CO 00				1	
£								R-										
								*4								*		
									to									
	00		to 00	to to	1^*	00					CP	"3	05			to		
	UJ 4 as		4 to	8 4t		to	8	to 05	4	to	*00	05	t-P* 4b	*— to			to	
to 8	8	to - Sn	to *	to "	to 8	JO "oo to	to -to	•* 05	00 —05	"3 -C	to	4b ^3	to CP	to oo oo	—oo	1 i	-	2
9250 1	"	00 *8	05 8	to .	05 *oi		05	to 8	to 4b	to	05	00 4b CP	05 "(35 to	co "oo oo	oo to	I		•4
								to 8	" to	* 04	to 8	oo 1— 05	05 oo oo	oo "as oo	oo "o 8		•	

1

 D_a —12

«

1—12—31

13966—74

45:

1—12—22

13966—74

12 18 9 :

1—12—13

13966—74

13 11 2 2 :

1—12—11

13966—74

,

:

1—12—41

13966—74

,

:

1—12—31

13966—74

1—12—22

13966—74

1—12—13

13966—74

1—12—11

13966—74

1—12—41

13966—74

3.

2

. 2

. 2.

$\frac{d}{D}$	d	D	D_t	$D_{\%}$	5	*	h		
						± 0.3	.	.	
3	1.7	8 1	6	14	7	11	24	$rhO_t 3$	
4	2,7	MIOxI	8	18	10	12	25		
6	3,7	12 1	10	20	12	13	26		
8	5,5	14 1	12		14		27		
10	7,5	16 1	14	22	17	14	29		
12	9,5	20 1,5	16	26	-19	17	32		
14	11,5	22 1,5	18	30	22				
16	13,5	24 1,5	20	35	18	34			
18	15,5	27 1,5	22	42		24	35		
20	17,0	MS0X1.5	24	45	27	19	36		
22	19,0	2	27	50			22	40	
25	22,0		28	30					
28	25,0	3 9X2	34	60	36	23	42	$\pm 0,4$	
30	27,0				41				
32	28,0	42 2	38	43	24	43			
34	30,0	45 2			46	25	44		
36	32,0	48 2	43	70	46	25	44		
38	34,0								

		<i>L</i>				<i>h</i>		100 . ,		
						±0,2				
5,0		19		36			5	0,71	2,01	1,94
6,0		21		39			6	1,10	3,12	3,00
7,0		23	±0,3	40				1,34	3,81	3,66
8,0		24		43			7	2,34	6,65	6,39
9,0		26		46			9	2,89	8,20	7,89
j .		31		49			10	4,79	13,58	13,05
12,0		33		53			13	5,83	16,50	15,88
13,0		36		55			15	7,05	20,00	19,22
15,0		37		57			17	8,63	24,50	23,55
16,0		39		60			18	11,64	33,05	31,80
16,5		43		66			21	13,00	36,90	
17,0		44	±0,3				22	17,77	50,40	
21,0		49	±0,4	74			28	21,52	61,20	
23,0		52		76				21 82	62,00	
25,0		55		81	±0,5		30	23,48	66,75	
								27,10	72,10	
								30,80	87,60	
								32,55	92,40	

2 , —12

45:

2—12—22 13966—74

I2X18H9T:

2—12—13 13966—74

13 11 2 2 :

2—12— 13966—74

2—12—41 13966—74

	2—12—31	13966—74
	2—12—22	13966—74
	2—12—13	13966—74
	2—12—	13966—74
	2—12—41	13966—74
4.	—	13955—74.
5.	—	13977—74.
6.	—	13977—74.

