

13969-74

Screwed unions for tube connections on external cone.  
Construction and dimensions


13969—68

10 1974 . 2124

01.07.75

1985 .

1.



\*

\*\*

1988 .

.	d	$d_2$	$+0,12$ $-0,06$	D	$D_x$	$D_2$	$D4$	1	h			
								$\pm 0,3$	.	.		
3	1,7	1.5	-	8 1	1/16"	6,135	11,5	13	9,5 ±0,25	±0,3		
4	2,7			Mioxi			13,8	14				
6	3,7			12 1			16,2	15				
8	5,5			4 1	1/8"	8,480	19,6		14,5	±0,3		
10	7,5			16 1			10,997	16				
12	9,5			20 1.5	3/8"	14,416	25,4	20				
14	11,5			22 1.5			27,7					
16	13,5	20	25	24 1.5	1/2"	17,813	31,2	21	19,0	±0,3		
18	15,5			27 1.5	3/4"	23,128	34,6					
20	17,0			30 1.5			36,9	22				
22	19,0			2			41,6	26				
25	22,0			1"	29,059							
28	25,0	30	2,0	39 2	1 1/4"	37,784	53,1	27	24,5	±0,3		
30	27,0			42 2								
32	28,0			45 2								
34	30,0			48 2			57,7	29				
36	32,0			KI 1/2"	43,853							
<b>38</b>	34,0	38										

	$h$	\
as .	.	.
$\xi$ ctQ *	+1,0 -0,5	$\pm 0,2$

1 \*

X

2,5

27.5 10\_

11

X<sub>S</sub>

100		
z -x		x
-	---	0,82
-	1,16	1,12
0,70	1,99	1,91
0,87	2,47	2,38
1,44	4,08	3,93
2,07	5,88	5,65
2,17	6,17	5,92
3,06	8,68	8,36
3,32	9,43	9,06
4,29	12,18	11,70
4,70	13,35	
6,17	17,50	
7,31	20,75	
7,28	20,65	
8,71	24,70	
11,19	31,80	
11,04	31,30	
9,85	27,90	

$$D_{\text{ss}} = 12$$

12—31

13969—74

1

45:

12—22

13969—74

12 18 9 -

12—13

13969—74

13 11 2 2

12—

13969—74

, :  
12-41      13969—74  
,

:  
12-31      13969—74  
12-22      13969—74  
12-13      13969—74  
12-11      13969—74

12-41      13969—74

2.  
13955—74.

3. —      13977—74.  
4. —      13977—74.