

13973-74

Plugs for tube connections on external cone.
Construction and dimensions

13973—68**10 1974 . 2124****01.07.75****1985 .**


1.
2.
. 1 2

1988

1


$R240/V$ (V)

V'




^28

1	pm—in"
	$R1 \pm 0,5$
	L_i »»




1



2

$\frac{1}{\bar{D}_H \leq 8}$



,2

** $D_s^{**S.}$

.1

<i>D</i>	<i>d</i>	<i>di</i> +0,12 -0,06	<i>Dx</i>
3		1,0	8 1 11,5
4		1,2	10 1 13,8
6			12 1 16,2
8			14 1
10	7,5		16 1 19,6
12	9,5		20 1,5 25,4
14	11,5		22 1,5 27,7
16	13,5		24 1,5 31,2
18	15,5		27 1,5 34,6
20	17,0		30 1,5 36,9
22	19,0		
25	22,0		2 41,6
28	25,0		
30	27,0		39 2 47,3
32	28,0		42 2
34	30,0		45 2
36	32,0		48 2 57,7
38	34,0		

s				1 ₃		L	100		
							-		
	±0,3	-1,0	±0,2	
10	13		1,2	2,5		18	—	0,58	
12	14	—	1,5			19	—	0,98	
14	15					21	0,60	1,68	
17	16	17		3,0			0,87	2,42	
22	20	20				22	0,89	2,48	
24						26	1,41	3,93	
27	21	21	2,0	3,5		28	2,48	6,92	
30							3,13	8,72	
32	22					30	4,09	11,40	
36	26	24				34	4,55	12,70	
41	27	32	4,0				5,65	15,75	
46	28		2,5			35	6,18	17,23	
50	29	33					6,10	17,05	
						36	6,76	18,80	
							8,14	22,70	
						37	9,03	25,20	
							9,20	25,70	

1	$D_H = 12$:
,	1—12—31	13973—74
,	45:	
,	1—12—22	13973—74
,	12 18 9 :	
,	1—12—13	13973—74
,	13 11 2 2 :	
,	1—12—11	13973—74
,		:
,	1—12—31	13973—74
,	1—12—22	13973—74
,	1—12—13	13973—74
,	1—12—11	13973—74
2	$D=12$:
,	2—12—31	13973—74
,	45:	
,	2—12—22	13973—74
,	12 18 9 :	
,	2—12—13	13973—74
,	13X11 2 2 :	
,	2—12—11	13973—74
,		:
,	2—12—31	13973—74
,	2—12—22	13973—74
,	2—12—13	13973—74
,	2—12—11	13973—74
3.	—	13955—74.
4.	—	13977—74.
5.	—	13977—74.