



2

1992

1 «
 » 2
1991 . ,
 ,
 ,
 ,
 ,
 « ».

200300000—73
085(02)—91

ISBN 5—7050—0325—0

2

. 21.06.91 . . 10.01.92 . . 60 50'/| . . 2
. . . . 15,25 15.5 13,87
. 9000 . . 1263 . . 949.2 . . 10 . .
« » . . 123557. , ,
 , . . „ 3. ,
 , . . „ 256.

**Steel roll-formed special sections
for wagon building. Dimensions**

14635—79

11 2000

01.01.81

01.01.98

1.

,

,

(
2.

,

,

1—12 16—21 . 13 . 1—12 14—19; 22
13—15 . 2. . 1;

. 20 .

,

3. .

»


,

. 3 4.

-


»

1




Черт. 1

2




Черт. 2

3




Черт. 3

4




Черт. 4

5




Черт. 5

6




Черт. 6

7




Черт. 7

8




.8

9




Черт. 9

10




.10

Профиль № 11




Черт. 11

12



, 12

13, 14, 15




Черт. 13

I

	<i>h</i>						<i>Rt</i>	*1
						\$		
13	50 ± 2	60 ± 3	70 ± 3	35 ± 3	4	11	11	9
14	50 ± 1	63 ± 3	70 ± 3	45 ± 3			11	9
15	$70 \pm 2,5$	79	$93 \pm 2,5$	$54 \pm 2,5$			8	8


16



I- -


. 14

17



Черт. 15


18




. 16

19

; . 1




Черт. 17




. 18

Профиль № 21

Профиль № 22



Черт. 19



Черт. 20

Таблица 2

			3	.	*	»
22	36±1,0	+ 1,0 2,0	4	8	10	3

*

—S—

S

*

$$s = \frac{ft-2(R4-s)}{s} \bullet$$

1.	:	,	,	-
2.	4,	132 ± 3	1	$2, 65 \pm 2$
9	75 ± 3	8,	100 ± 2	$15 \pm 1,5$
3.	$Rb, 37 \pm 2$	11 ± 2	$Ra, 30 \pm 2$	$Rb, 31 \pm 2$
$Rb, 38 \pm 2$;	$Ra, 36 \pm 2$	$Ra, 32 \pm 2$	$Rb, 2$
4		22		,
	± 1	.		-

	0- 14. «*»	» .?													, - ,			- .			X—		
		» .		iMMvt				8 1 >		8		4TW			NtWCt't		»* 8WP*		/ . -		* - >		
		•	*	Ts	* **	* »	’ /	L*	»	•	’ >8	* » .	’ . -	S.-	’ . -	»	S.-	’ . -	’ , •	’ CN			
1	25	8.45	4,36	568X6	56.73	4.76	2697X1	141.60	10.38			1647.66	76.99		3882.29	137.67	12,-5	1170X8	68.71	6,84			
2	24.70	6,13	6.30	2583X6	138.61	10,23	563.04	57,94	4,77			274535	108.08	10 4	2307.81	9X20	9,67	1765,88	92.44	8,46			
3	23X3	13.33	3.04	42X49	36,51	4.29	4019.49	160.44	13,15			92.10	48.47	6.30	7867,14	204.34	18,49	705X1	44X2	5,51			
4	33.70	7.34	9,46	888.44	74.33	5.13	1806.09	120.18	7,32			4349 4	19.33	1136	3170.84	203,26	9.70	1336X2	102.48	6			
5	16.33	4.96	3,47	127.10	20	2,79	48X79	44.78	5,44			373.04	31.09	4.78	83X50	5X41	7,17	176.12	20,65	3.28			
	10 2	2X0	5,31	91.60	14,14	2,99	53.00	12,69	2.28			37X45	39.52	6,06	121 4	17.12	3,45	87.03	16.38	2,92			
7	21.17	6,03	10,36	35X37	42,86	4,0	540.37	71.74	5.05			2680X8	178.69	11X5	1264,48	92 2	7.70	406X2	39,43	4,39			
8	6X2	4.79	3,61	2,24	1.20	0,60	72.47	12X9	3.41			97.72	13.03	3.96	202.2\$	2X73	5,70	1X46	4.00	1.58			
9	1X93	11,26	5.78	51 4	13.64	1,99	66037	50.23	7,t5			65i.II	65.11	7,10	2IX. 85	8X42	12,84	218X5	37,80	«.11			
10	33.18	17X3	4.66	524.10	59.19	3,97	3469.60	200.67	10,23			1241.70	90.64	6.12	1332,19	401 6	20,04	524.45	57,95	3.98			
	7 2	8.94	0,97	7J30	1 5	0,94	204.71	22.86	5,08			14.92	3.73	137	837.09	46 5	10,28	7X2	1.51	0,97			
12	4.47	8.47	5,83	6.75	1.19	1.14	146.79	14.36	5,74			217.03	17.79	6.98	406,74	26X4	9.56	65X0	10.	3,84			
	9.94	7.41	4.07	59.33	9,99	2,44	119X3	15.05	3.47			230.57	37.94	4.82	659,02	4X10	8.14	65.79	16,16	2,57			
tl	10.46	7.83	4 1	66.74	12 9	2,53	141.12	17,06	3.67			254.62	36.37	4.93	788.23	52 35	8.68	69.48	16,51	2,58			
15	14*3	10.31	5,44	169.99	26.06	3,45	331,19	30,32	4.82			599 2	64.43	6.49	329	29X6	4.81	17X33	32,79	3,54			
16	25.136	0	3.22	67.94	21.12	1.64	4596.73	229.86	13 2			328.10	59 2	3X1	4596,73	229X6	13,52	67,94	21,12	1,64			
17	31,32	0	1.83	45.42	26.85	1,15	12256 1	377,11	18,90			143,74	47.91	2,05	12256X1	377.11	18.90	4X42	26.85	1.15			
10	23X8	0	3,10	95.33	30.80	2.01	6759 1	270.38	16,89			322X2	43.0	3.69	6759.51	270X8	16,90	322 2	43,0	3,63			
1\$	15 9	0	1.37	17X7	8,93	1.07	343.78	40.45	4,77			46X7	14.02	1.75	343.78	40.45	«.77	17X7	8.93	1.07			
20	6.72	4.45	6.50	1.68	1.18		145X6	18.65	4.65			63 2	27.95	7XS	200,73	2X55	5.46	7939	12 1	3,44			
31	27X7	17,71	0,36	71S7,01	258	7 16,06		2,49	0,29			6.14	4.39	0.47	X57V0	514X5	12,02	2.46	2,37	0,30			
					1	1																	

				I . . *	I . .		
	-						
	<i>I</i> . . «	, ,	<i>i</i> ,				
1	2095,49	106,08	9,15	—958,77	19 66		
2	1380,82	79,48	7,48	—991,80	19,39		
3	3742,17	148,65	12,69	—958,63	18,23		
4	1357,71	164,28	6,35	458,71	26,45		
5	433,78	39,36	5,15	—22,60	12,82		
6	57,58	12,52	2,37	—12,48	8,45		
7	484,22	64,84	4,78	86,04	16,62		
8	59,25	12,36	3,09	27,45	4,88		
9	492,96	38,38	6,17	271,93	10,15		
10	3469,26	201,32	10,23	—31,94	26,04		
11	204,19	22,87	5,08	— 10,15	6,22		
12	86,74	10,24	4,41	69,74	3,53		
13	113,37	15,30	3,38	—18,68	7,80		
14	138,39	7,55	3,64	—14,00	8,21		
15	322,85	31,30	4,76	—35,71	11,17		
16	4596,73	229,86	13,52	0	19,73		
17	12256,21	377,11	18,96	9	26,94		
18	6759,51	270,38	16,90	0	19,59		
19	343,78	40,45	4,77	0	11,84		
20	67,65	15,20	3,17	71,60	5,27		
21	7186,85	258,57	16,06	34,08	21,88		
	1						

-	2 ,									/ ,	
		—				~					
		' - *	IF , 9 *	‘ ,	V *	z y *	V *	I ,	? .		
22	4,94	10,37	5,76	1,45	1,03	12,92	4,35	1,62	2,23	3,88	

7,85 / 3.

2, 3. (, . 1).

1000—2000
19903—74. 19904—90,

5. 90° ,

7. (, . 2). 3 7
8. (, . 21).

9.

$$\begin{array}{r}
 + 40 \\
 + 80 \\
 \hline
 \end{array}
 \qquad
 \begin{array}{r}
 7 ; \\
 7 . \\
 \hline
 \end{array}
 \qquad
 \begin{array}{r}
 \text{---h} \ 40 \\
 + 5
 \end{array}$$

$$(\cdot \quad \cdot \quad \cdot \quad \cdot \quad 1).$$

10.

10°, 1°
16—18 7— 20—22
0,5° 5°.

11.

12. 500

12.

— 0,15 %.

13. 2 1 16—18 20—22

14.

$$\begin{array}{r}
 ,500 \\
 300 \\
 \hline
 \end{array}$$

2

,1 %

16—18 20—22

14.

二

(15)

15.

11474—76.

1. -
 . . . , - , ; . . ; . . , . ,

2. -
5046 **26.12.79**

3. — 5

4. 14635—69, 5.1752—72

5. -

,	
11474—76 19903—74 J 9901—90	15 4 4

6. -
14.02.90 **206** **01.01.96**

7. -
1985 ., **1990** .(**1, 2,**
1—86, 5—90)