

14635-93

\$
|
∞

,

14635-93

1

2

(3—93 17 1993 .)

:

--	--

3

1996 . N° 379

19

14635—93

1 1997 .

4

14635-79

©

, 1997

,

**Steel cold-shaped special profiles for car building.
Dimensions**

1997—01—01

1

,

,

-
-
-
-

2

,

-

1-17.

3




,



,

-


1

1 2.







4 — 4




5 — 5




6— 6




7— 7




8 — 8



9 — 9



10— N° 10



11— 11





Рисунок 12 – Профиль № 12









Рисунок 14 — Профиль № 14





16 —

16



17 —

17

1 ,
 2 75±3 3
 3 ; 36 4 ; 32 30 ,
 37 ; R_6 , R_a , 17 31 , — R_6 ,
 4 , — 1 .
 2 , —

!

-	-	-	,	-											
				-				-				-			
				2	*	*	*	0	0	5	*	0	0	1	1
1	25,05	8,45	4,36	568,56	55,73	4,76	2697,51	141,60	10,38	1647,66	76,99	8,11			
2	10,22	2,50	5,31	91,60	14,14	2,99	53,00	12,69	2,28	375,45	39,52	6,06			
3	6,22	4,79	3,64	2,24	1,20	0,60	72,47	12,29	3,41	97,72	13,03	3,96			
4	7,92	8,94	0,97	7,00	1,55	0,94	204,71	22,86	5,08	14,92	3,73	1,37			
5	9,94	7,41	4,07	59,33	9,99	2,44	119,83	15,05	3,47	230,57	37,94	4,82			
6	25,14	0	3,22	67,94	21,12	1,64	4596,73	229,86	13,52	328,10	59,22	3,61			
7	34,32	0	1,69	45,42	26,85	1,15	122256,21	377,11	18,90	143,74	47,91	2,05			
8	23,68	0	3,10	95,33	30,80	2,01	6759,51	270,38	16,89	322,22	43,0	3,69			
9	6,72	4,45	6,50	1,68	1,18	0,50	145,36	18,65	4,65	363,32	27,95	7,35			
10	19,91	75,16	44,10	122,46	21,62	2,48	593,20	73,22	5,46	536,88	67,11	5,19			
11	16,12	88,19	41,90	120,56	18,93	2,73	496,49	47,13	5,55	3736,80	139,14	5,43			
12	24,22	72,86	94,23	637,58	53,29	7,39	1323,22	88,07	7,39	3539,40	138,36	11,34			
13	17,5	115,73	20,08	,49	6,71	2,52	1057,62	148,91	7,77	539,58	53,16	5,55			
14	20,63	80,57	40,76	143,88	20,08	2,64	926,55	82,2	6,70	507,58	50,76	4,96			
15	15,38	6,79	5,88	175,73	22,57	3,38	594,32	51,20	6,21	329,34	31,03	4,63			
16	8,83	7,40	7,67	30,36	7,44	1,64	505,90	42,37	6,71	112,14	14,61	3,16			

1- 1			— X			—					
-	-	-	-	-	-	-	-	-	-	/\	*
7 1> 4	V	V	£ 4	3	4*	&	W 3	V			1 ,
3882,29	137,67	12,45	1170,58	68,71	6,84	2095,49	106,08	9,15	-958,77	19,66	
121,54	17,12	3,45	87,03	16,38	2,92	57,58	12,52	2,37	-12,48	8,45	
202,25	22,73	5,70	15,46	4,00	1,58	59,25	12,36	3,09	27,45	4,88	
837,09	46,85	10,28	7,52	1,51	0,97	204,19	22,87	5,08	-10,15	6,22	
659,02	48,10	8,14	65,79	16,16	2,57	113,37	15,30	3,38	-18,68	7,80	
4596,73	229,86	13,52	67,94	21,12	1,64	4596,73	229,86	13,52	0	19,73	
12256,21	377,11	18,90	45,42	26,85	1,15	12256,21	377,11	18,90	0	26,94	
6759,51	270,38	16,90	322,22	43,0	3,69	6759,51	270,38	16,90	0	19,59	
200,73	22,55	5,46	79,39	12,21	3,44	67,65	15,20	3,17	71,60	5,27	
1691,05	110,53	9,22	149,60	33,92	2,74	566,06	72,72	5,33	109,71	15,63	
1678,79	99,91	10,20	192,76	24,19	3,85	424,30	48,11	5,03	148,08	12,66	
2285,53	146,51	9,71	961,12	75,50	6,29	999,68	120,25	6,43	342,28	19,01	
3044,49	152,22	13,19	468,94	32,32	5,18	700,18	60,50	6,33	458,72	13,74	
2244,87	121,34	10,43	164,88	27,83	2,83	905,55	86,72	6,23	126,47	16,19	
440,72	64,87	5,35	862,07	52,25	7,49	1150,68	86,52	8,65	816,74	12,08	
424,13	42,42	6,14	774,14	52,56	8,29	1040,54	59,80	9,62	818,25	8,83	

$$1 \qquad \qquad \qquad , \qquad \qquad \qquad 1$$

— 7,85 / 3;

2^b - S - R -----

$$3 \quad \frac{-2(R + S)}{\Lambda} \quad ,$$

b — , ;
h — , ;
S — , ;
R — , ;

4

3 11,8 :

;

10 %

;

10 %

;

.

5

.

+40

-

.

+80

-

.

7

- +40 ,

7 - +40 +5

-

6

.

10°.

2

7

8

0,1

- 0,15 %.

9

5—8

2

1

.

10

,

,

500

,

300

.

14635-93

669.14-42:006.354 77.140.70 22 11 2000; 11 2100

., , , ,

021007	10.08.95	12.03.97.	01.04.97.	0,93.
		0,75.	286	352
		619		
<hr/>				
		, 107076,		, 14.
			, 256.	
		040138		