



15620—77

**Safety claw clutches.
Main parameters and dimensions**

15620—77

41 7148

01.01.7801.01.95

1.

-

1—3,
4

-

15150—69,

-

4 400 *

-

(, . 1, 2).

2.

:

1 —

23360—78.

2 —

1139—80; ,

3 —

6033—80.

(

, . 1).

3.

-

.

.

~ 1>2.


©

, 1977

©

, 1992

*






A


Исполнение 1

Исполнение 2

Исполнение 3



Б-Б



Номинальный крутящий момент $M_{кр}$ Н·м	d (пред. откл. по Н7)				d_1 (пред. откл.) по К6)	D_1 не более	L_1 не более
	Исполнение						
	1		2	3			
	1-й ряд	2-й ряд					
4,0	8	—	—	—	32	36	63
	9	—	—	—			
	10	—	—	—			
6,3	9	—	—	—	38	48	75
	10	—	—	—			
	11	—	—	—			
10,0	12	—	—	12	48	56	80
	14	—	14	14			
	12	—	—	12			
16,0	14	—	14	14	56	71	105
	16	—	16	15			
	18	—	—	17			
25,0	14	—	14	14	56	71	105
	16	—	16	15			
	18	—	—	17			
40,0	18	—	—	17	56	71	105
	19	—	—	—			

MM

(, ¹ 4) ,)		6»	(, 23360-78)	(^h , 1)	(^t : 12)	J0 S* 	« 32
1	2 3						
20	—	12	3	3	1,8	27	0,31
23	—						
20	—	14	4	4	2,5	21	0,48
23	—						
30	25	16	5	5	.	17	0,83
		18					0,87
40	28						
30	25	21	6	6	3,5	13	1,55
40	28						
		24					1,74

.3

15620—77

1 *	(. . no ?)				*1 (» .)	£> ,	
	1	2					
	1- 12- 1						
40.0	20		20	20	56	71	105
	22	—	22	22			
	20	—	20	20	65	85	110
	22		22	22			
		24					
	25		25	25			
100.0	—	24	—	—	80	100	140
	25		25	25			
	28		28	28			
	—	30	—	30			
161X0	28		28	28	125	160	
		30		30			
	32		32	32			
254X0	36			35	00	140	180
		38	38	38			
	40	—	—	40			

(no 4) .		I.	(8 23360-78)	(. >	(t ; , 12)	Q '5 s* h 8» Hi	V,Ⓢ
1	2 3						
50	36	24	6	6	3,5	13	1,74
		28	8	7	<0	10	2,42
60	42	32	10	8	5,0	8	4,85
50	36						
60	42						
80	58						
60	42	36	12			7	7,25
80	58	42					9,70
110	82						

15*20-77 4

0 4 ear	(. . 7)				(< , ;)	D,	L	(.) ,			(, 23360-78)	(,)	(/ , HI2)	4J 9 V ” S- 8? ** let	*● S3
	i	2	3	1				2 3							
	1 2- 1														
400.0		38	38	38	105	180	190	80	58	48	14	9	5,5	5	15,50
	40	—	—	40				82							
	—	42	42	42											
	45		—	45											
		48	48												

. 1-

.

!

£3

*Ø

3

-

$63 > ,$ 25 , $1,$
 $3:$

$$\frac{63-25-}{2} \quad 15620-77$$

$J=25$:

$$63-6X21X25X5- \quad 15620-77$$

$d=25$, $'$ $/ =1,5$:

$$63-25 \quad 5- \quad 15620-77$$

(, . 1, 2).

.7 15620—77

1. -

. . , . .

2. -

17.02.77 407

3. 15620—70

4. — 1993 ., — 5 .

5. - -

.	
39—80	2
6033—80	2
15150—69	1
23360—78	2

6. 1988 . 01.01.95 . -
20.01.89 79

7. (1992 .) 1, 2, -
1982 ., 1989 . (3—83,
4—89)

. .
. .
. .

. 24.06.92 . . 19.08.92 2612 . . 0,5. . . . 0,36,

« » , 123557, . ,
.. 3. , 256. 1642