

---

75

75

16210-77

Railway rails type 75. Design and dimensions

09 2 0

01.07.78


1. 75 .


( ; . 2).

2. .1, — .2.

\*

© © , 1977  
© , 1999





Черт. 2

±1,0

( , . 1, 2).  
3.

±0,5 , — 0,5 .

4. , , :

1 — ;  
0,3 — .  
( , . 2).

5. 1,5 3  
#5

6. 1,5 1,5 ,

| I • (2012) ‘ ),                      | , ,      |     |     |  |
|--------------------------------------|----------|-----|-----|--|
|                                      |          |     |     |  |
|                                      |          | I   | II  |  |
| 25,000                               | ±20      | ±20 |     |  |
| 25,000<br>24,920<br>24,840           | • ±6<br> | ±9  | ±15 |  |
| 12,520                               | ±6       | ±7  | ±10 |  |
| 12,500<br>12,460<br>12,420<br>12,380 | ±6       | ±7  | ±10 |  |

5; 6. ( , . 3).  
7.

25

6 ,

8. 24182, — 18267.

9. , ( , -  
) , 150—200 .  
( , . Xs 2).  
10. .

3..... 95,037  
 , :  
..... 88,2  
.....103,8  
 , 3:  
..... 509  
.....432  
.....89  
 ( 7850 / 3), .....74,6  
 , %:  
..... 37,42  
.....26,54  
.....36.04  
 ,  
..... 45,8  
..... 146,2  
 , 4.....4491  
.....2198  
..... 2005  
 , \*.....665  
..... 143  
..... 508  
 , 6..... $2,6 \cdot 10^4$   
 , 4.....401  
 , / 2:  
.....  $325 \cdot 10^{\wedge}$   
.....  $234 \cdot 10^{\wedge}$   
( , . 2, 3).

1.

• • , • • , • • , • • , • • , • •

2.

12.08.77 1958

3

( 2 15.04.94)

949

:

3.

16210—70

4.

-

,

18267—82  
24182-805, 8  
8

5.

,

( 2—93) 2—92

-

6.

1987 ., ( 1999 .) 1, 2, 3, 1983 .,  
1998 . ( 7-83, 12—87, 7—98)

14.05.99. . 0,93. .- . 0,50.

<https://minable.ru/gosty>