

16324-83

u o m *fiHth*

30

1983

NS 4726

*

, *Tyiueea*

. 11.10.83 , . 16.12.83 1.0 . . 0.91 12000 5 .
« » . 123557. , . 256. . 2801 .. X

16324-83

Cast iron diaphragm control valves with
pneumatic diaphragm actuator.

Specifications

16324—76

37 2251

1983 . N5 4726

36 -

61.67.66

01.67.91

(4 / m^2), $D_y 40$ 50 ; 0,6 (6 / m^2), $D_y 10$ 15 , $D_y 20$, 25 **0,4**

15° 110°C,

1.

1.1.

-1 —

:

;

-1 — ,

;

-2 —

;

-2 — ,

.



.2

16324—83

1.2.


.1—3

.1, 2.




.1

.1—3

-2, -2 $\wedge = 10 - 40$ 

*

.2

-2, -2 $D_y = 50$ 

• 3 h sS	• 3 h sS	3 i 35 V	V •	* *		*, *	* -	-			
				* *							
				* -							
A-I, •£	1.0 (10)	10, 15	S2	18103-35, 1 16337— —77	15803—020, 1 16337- —77	15 60	13373-07	13373-67			
	0,6 (6)	20, 25, 32									
	0,4 (4)	40, 50									
-1, «2	1.0 (10)	10. 15	S EL	42 * —	4	15	;	;			
	0,6 (6)	20, 25, 32			10007-80						
	0,4 (4)	40, 50									

1. , *—
 2. :) , ;
) , *;
 3. » >176 / ' (18 / 2).

16324—

Cтр.

	<i>D</i>	$(\frac{L}{\cdot},$ $\cdot=1,0)$	<i>I</i>	<i>Zi</i>	$\frac{2 \ll}{5:3}$	<i>D</i>	.		<i>d</i>	\cdot v v ①
-1 -1	10	90	225	125	415	60	200	60	7	9,3
-2 -2					495					11,0
-1 -1	15	110	275	150	430	65	250	75	14	9,8
-2 -2					510					11,5
-1 -1	20	130	340	185	525	75	310	80	18	18,5
-2 -2					605					20,5
-1 -1	25	150	410	220	535	85	110	90	18	19,2
-2 -2					615					21,3
-1 -1	32	170	410	220	645	100	380	105	18	31,0
-2 -2					805					33,5
-1 -1	40	190	410	220	655	110	125	110	18	35,0
-2 -2					815					37,0
-1 -1	50	200	410	220	830	125	380	125	18	51,0
-2 -2					750					55,0

2.

2.1.

-
»

2.2.

1.

,

04 /

-

,

2.3.

-

2.4.

—

2.5.

254—76.

2.6.

356—80.

2.7.

9701—79.

2.8.

-

2.9.

$$\pm 0,05 \quad \frac{1 \pm 0,05}{0,25} \quad \frac{0,4}{/ \quad ^2}). \quad 0,02 \pm 0,005 \quad 0,1 \pm 0,005 \quad (0,2 \pm$$
 $\pm 10\%$.

2.10.

()

(—).

11-

24643—81.

, ' 13

8908—81.

-

, 25670—83.

«

2.11.

100

0,2 (-).

2.12.

24705—81.

— 8g;

— 7

16093—81.

2.13.
10549—80.

, , ,

—

, ,

,

—

—

,

—

,

,

,

—

2.14.

50 —
D_y 10 —

128 5—80

1,0

D_y / 15
(10²);

—

2.15.

2.16.

,

—

2.17.

,

—

2.18.

,

,

—

2.19.

,

-221

9433—80.

—

2.20.

2.21.

2.22.

- 2.23. ,
.
- 2.24. , 1000
« — »,
— 1500 .
- 2.25. , 3, 15150—69 15 °C
40 °C.
- 2.26. ,
— 12500 , 20000* 1500
, 2000* .
— 25000 , 40000*
- 3000 , 4000* .
— 6500 , 11000* 900
, 1500* .
* ,
- 2.27. 2.
.
3. 3.
.
4. 4.
.
- 4.1. :
)
- 4.2. :
)
- 10 .). ; 2.601—68 (
5. 5.
.
- 5.1. -
- ,

. to 16324—33

5.2.

2.2; 2.3; 2.7 ()
); 2.16—2.22; 2.23; 2.24; 7.1.

5.3. 100

2.26.

16468—79.

5.4.

5.5.

0,1 %, (. 2.24)
3 .

6.

6.1.

6.2.

(. 2.23),

6.3.

6.4.

$$(0,02 \pm 0,005) \quad [(0,2 \pm 0,05) \quad / \quad ^2],$$

$$(\pm 0,005) \quad [(1,0 \pm 0,05) \quad / \quad ^2].$$

6.5.

6.6.

$$6.7. \quad (\ldots 2.24)$$

6.8.

$$, \quad 0,05 \quad (0,5 \quad / \quad ^2).$$

$$6.9. \quad (\ldots 2.24)$$


$$6.10. \quad , \quad 1. \quad ,$$

. 4.

8—10

$$(\pm 0,05) \quad / \quad ^2 \quad (0,02 \pm 0,005) \quad (1 \pm 0,05) \quad / \quad ^2]. \quad (0,1 \quad \pm 0,005) \quad [\quad (0,2 \pm$$

0,005 , (0,05 / t^2). $/2>$



t^2

4

14

7.

7.1.

4666—75.

7.2.

9.014—78.

— 3

7.3.

2991—76.

7.4.

7.5.

14192—77.

7.6.

21929—76.

7.7.

15150—69.

— 2 ()

8.

8.1.

8.2.

— 12

7500 1000

,

— 18

11000 1500

t

	,	13373-67
-1, -1	10	-160—6— —
	15	-160—6—02—
	20	1 -200—6—02—
	25	-200—6—02—
	32	-250—10—02—
	40	-250—10—02—
	50	-320—10— —
-2, -2	10	-160—10—02—
	15	-160—10—02—
	20	-2 —10—02—
	25	-2 —10—02—
	32	-250—16—02—
	40	-25 —16—02—
	50	-320—25—02—

D,

13373-67

/

04

26-07— 16-75

-1	10	37 2251 5072 04	37 2251 5200 03	37 2251 5346 08 37 2251 5347 07
	15	37 2251 5073 03	37 2251 5201 02	
	20	37 2251 5074 02	37 2251 5202 01	
	25	37 2251 5075 01	37 2251 5203	
	32	37 2251 5076 00	37 2251 5204 10	
	40	37 2251 5077 10	37 2251 5205 09	
	50i	37 2251 5078 09	37 2251 5206 08	
-1	10	3-7 2251 5090 02	37 2251 5207 07	37 2251 5348 06 37 2251 5349 05
	15	37 2251 5091 01	37 2251 5208 06	
	20	37 2251 5092 00	37 2251 5209 05	
	25	37 2251 5093 10	37 2251 5210 01	
	32	37 2251 5094 09	37 2251 5211 00	
	40	37 2251 5095 08	37 2251 5212 10	
	50	37 2251 5096 07	37 2251 5213 09	
-2	10	37 2251 5083 01	37 2251 5214 08	37 2251 5350 01 37 2251 5351 00
	15	37 2251 5084 00	37 2251 5215 07	
	20	37 2251 5085 10	37 2251 5216 06	
		37 2251 5086 09	37 2251 5217 05	
	32	37 2251 5087 08	37 2251 5218 04	
	40	37 2251 5088 07	37 2251 5219 03	
	50	37 2251 5089 06	37 2251 5220 10	
-2	10	37 2251 5101 05	37 2251 5221 09	37 2251 5352 10 37 2251 5353 09
	15	37 2251 5102 04	37 2251 5222 08	
	20	37 2251 5103 03	37 2251 5223 07	
	25	37 2251 5104 02	37 2251 5224 06	
	32	37 2251 5105 01	37 2251 5225 05	
	40	37 2251 5106 00	37 2251 5226 04	
	*50	37 2251 5107 10	37 2251 5227 03	