

-

() -

!

,

17711—93

1.
106 «

»,

(

)

2.
1993 .)

(

4—93

19

,

:

--	--

3.
,

02.06.94

160

17711—93

1 1995 .

4. 17711—80

©

, 1996

,

()

17711—93**Cast copper-zinc alloys (brass). Grades****41 1330**01.01.95()
1.

, 2.

1;

2.
1652.1 — 1652.13.

,

1652.1 — 1652.13.

3.

,

10

,

50

4.

,

5.

1497.

6.

9012.

Mipmctuuu		, %							
		1	.	.	1	.	.	!	.
	40	570	-	-	-	-	-	082,0	
		61,0							
	40	580	-	-	-	-	-	082,0	
		61,0							
	40 1,5	570	-	-	102,0	-	-	-	
		60,0							
	40	530	-	051,5	5304,0	-	-	* V	
		58,0							
		550	051,5	-	253,5				
		58,5							
	38 22	57,0	**	152,5	-	152,5		152,5	¥
		60,0							
	37 22	57		152,5	5051,3		153,00		
		60							
		660	203,0						
		68,0							
	252	700	-	-	-	-	051,5103,0		
		75,0							
	23 2	640	407,0	204,0	153,0	-	-		
		68,0							
	164	77				304,5			
		81							
	14	77			←	254,5		204,0	

1,
2.
3,
0,1 %

55-58 X.
5.
6.

		*	-	-	
		(/ ^)	/	<>5. %	
40	,	215 (22) 215 (22)	12 20	70 80	
40		196 (20) 264 (27)	6 18	70 100	(), , -
40 1,5	,	372 (38) 392 (40)	20 20	100	, , , -
40		441 (45) 490 (50) 392 (40)	18 10	90 100	60 °
40	,	441 (45)	15	115	300 ° ;
38 2 2		245 (25) 343 (35)	15 10	80 85	; ! -
37 2 2		343 (35) 294 (30) 392 (40)	2 12 15	110 80 90	(, ,) -

		≥ 2 (/ 2)	5% -	,	
25 2	,	146 (15)	8	60	
23 6	2	686 (70) 705 (72)	7 7	160 165	,
16 4		294 (30) 343 (35)	15 15	100	(,)
14		294 (30) 245 (25)	15 7	100 90	250 ° (- .)

1652.1-77 —	1652.13-77	2
1497-84		5
9012-59		6

29.01.96. **21.02.96.** **0,47.**
 **0,37.** **110** . . . **3215.** . . . **72.**

107076, , .., 14
021007 10.08.95.

— . „ 6. ”