

18511-73 —

18514-73

1-96

18511-73* *

Blind end caps.	11638—65,
Design and dimensions	11639—65,
	11640—65

27.03.73 690.

27.07.92 782

01.01.75

1.

,

,

,

)

()

(

),

.).

(

2.

, . 2).

1

; 2—

;

3.

: 1

;

; 2—

* (1997 .) N9 1, 2,
 1980 ., 1992 . (9—80, 10—92)

©

, 1973



©

, 1997

4.

1.

2.



D d11	D ₁	D ₂	D ₃	D ₄	d	d ₁	d ₂	n	H'	H' ₁	H' ₂	l	l ₁	l ₂	h	h ₁	b	s	c	r	Масса крышки, кг≈						
																					Тип 1	Тип 2	Тип 3				
13	22	34	9																					0,03			
14			10																					0,03			
15																								0,03			
16	25	36	11	—	4,8	8	10		6	9	—	3	6	—	3	—	2	3					0,04	—			
17																											
18																											
19	28	40	14																					0,04	0,05		
20																											
21	32	45	16	21																				0,3			
22				22																				0,07	0,08	0,08	
24	36	50	18	24																				0,09	0,10	0,11	
26				26																							
28				28	5,8	10	12		8	12	17	4	8	13	5	3	4										
30	42	55	24	30																				0,11	0,12	0,13	
32				32																							
35	48	65	28	35																				0,16	0,17	0,19	
37				37																							
40	54	70	34	40																				0,21	0,22	0,23	
42				42																							
44				44	7	12	14	4	10	15	20	5	10	15	5	5	4	5					0,6				
45	60	78	38	45																				1,0	0,24	0,26	0,27
47				47																							

£

18511—73

D dл	, »												1			2		
	4	4	<	*	1	lt	4	j										
50	66	82	44	52												0,29	0,31	0,32
52																		
55	75		48	55												0,36	0,38	0,40
58				58														
60	78	95		52	60											0,40	0,42	0,45
62					62													
65	84	105	58	65												0,57	0,60	0,67
68				68														
70					70													
72	90			62	72											0,63	0,67	0,74
75				64	75	9	15	20										
80	100	120	72	80												0,71	0,75	0,83
85				85														
90					90											0,84	0,92	1,00
95				95														
100	120	145	90	100												1,20	1,30	1,50
105	130	155	95	105												1,40	1,60	1,70
115	140	165	105	115												1,60	1,70	1,90
120				120														

D	1	2	=	
			1	2
125	150	175	115	125
130				130
135		185	125	135
140				140
145	170	195	130	145
150	180	210	135	150
155				155
1(5)	190	220	145	5
170	200	230	155	170
175				175
180	210	240	160	180
190	225	255	175	190
200				200
210	235	265	190	210
215	250	280	200	215
220				220
225	265	300	208	225
230				230
J40	280	315	220	240
250				250

18511—73 0 4

ft
*

18511—73

D dли	d	4		/1		1		2		4		b		, 1		, 2		*	
		4	4	/1	/	1	2	4	4	1	4	1	b	1	2	1	2	1	2
260	300	335	240	260												9,50	10,10	10,60	
270				270															
280	320	355	260	280	17	28	32	8	23	35	50	13	25	40	12	15	7	10	1,6
290				290												0,8	10,50	11,20	11,80
310	340	375	280	300													11,60	12,70	13,30
				310															

*

,

1

,

,

,

1)

2 3,

1, 2, D=65 :
12-65 18511-73
(- , . 1,2).
5. — 18514—73.
6. -

11641-73.

. (, . 2).