



**19107—73
(536—77)**

19107—73*

Mechanical couplings. Series of nominal torques

(**536—77)**

41 7100

22	1973 . 2035.	<u>01.01.75</u>
1985 .	25.06.85 N2 1893	<u>01.01,96</u>

1.

,

536—77.

2.

:

* (**1985 .**) **1979 ,** **1985 .(** **1, 2,**
6—79, 10—85).

©

, 1986

I	2	3	1	2	3
0,10	—	—	40	40,0	40,0
—	—	—	—	—	45,0
—	—	—	—	50,0	50,0
—	—	•—	63	63,0	56,0
0,16	—	—	—	—	63,0
—	—	—	—	—	71,0
—	—	—	—	80,0	80,0
—	—	—	—	—	90,0
0,25	—	—	100	100*	100
—	—	—	—	—	112
—	—	—	—	125	125
—	—	—	—	—	140
0,40	—	—	160	160	160
—	—	—	—	—	180
—	—	—	—	200	200
—	—	—	—	—	224
0,63	—	—	250	250	250
—	—	—	—	—	280
—	—	—	—	315	315
—	—	—	•—	—	355
1,0	1,00	—	400	400	400
—	1,25	—	—	—	450
—	1,60	—	—	500	500
1,6	—	—	630	630	560
—	2,00	—	—	800	800
—	—	—	—	—	900
2,5	2,50	—	1000	1000	1000
—	—	—	—	—	1120
—	3,15	—	—	1250	1250
—	—	—	—	—	1400
4,0	4,00	—	1600	1600	1600
—	—	—	—	—	1800
—	5,00	—	—	2000	2000
—	—	—	—	—	2240
6,3	6,30	—	2500	2500	2500
—	—	—	—	—	2800
—	8,00	—	1 —	3150	3150
—	—	—	—	—	3550
10	10,0	10,0	4000	4000	4000
—	—	11,2	—	—	4500
—	12,5	12,5	—	5000	5000
—	—	14,0	1 —	—	5600
16	16,0	16,0	6300	6300	6300
—	—	18,0	—	—	7100
—	20,0	20,0	—	8000	8000
—	—	22,4	—	—	9000
25	25,0	25,0	10000	10000	10000
—	—	28,0	—	—	11200
—	31,5	31,5	—	12500	12500
	—	35,5	—	—	14000

1	2	3	1	2	3
16000	16000	16000	—	200000	200000
	—	18000	—	—	224000
—	20000	20000	250000	250000	250000
—	—	22400		—	280000
25000	25000	25000	—	315000	315000
—	—	28000	—	—	355000
—	31500	31500	400000	400000	400000
—	—	35500	—	—	450000
40000	40000	40000	—	500000	500000
—	—	45000	—	—	560000
—	50000	50000	630000	630000	630000
—	—	56000	—	—	710000
63000	63000	63000	—	800000	800000
—	—	71000	—	—	900000
—	80000	80000	1000000	1000000	
—	—	90000	—	—	1120000
100000	100000	100000	—	1250000	1250000
—	—	112000	—	—	1400000
—	125000	125000	1600000	1600000	1600000
—	—	140000	—	—	1800000
160000	160000	160000		2000000	2000000
—	—	180000			

1

$$2 \frac{2}{1. 2. (} \quad 3. \quad , \quad . \quad 1, 2). \\ (\quad , \quad . \quad 2).$$

10

3 19107—73

-

25.09.83

2813

01.01.87

-

: (5199—85).

(. . 64)

63

1. : « 5199—85».
· 0,10 16009
: 12,5; 20,0; 31,5; 50,0; 80,0;
125; 200; 31'5; 500; 800; 1250; 2000; 3150; 5000'; 8000; 12500 : .
: <* : -
-
,

(12 1986 .)