



19240-73

19240-73**

**RAILS FOR GROUND AND SUSPENDED
TRACKS**

5157-53

Dimensions

5

09 2000

29 1973 . 2610

01.01.75

28.03.89 798

01.07.95

1.

5,

2.

1—3.

1, 2 (

1.)

3.


4.

1,


1984 .

(4-85)

*




. 1



Черт. 2

5



. 3

5.

;

;

8 7 ,

6.

5

6

1,5 4,6
20 %

5 %

4,6 8,0

7.

5—7 (

, * 1.)

8.

+40 —

4 ;

+60 —

4 6 ;

+80 —

6 .

9.

0,40 %

10.

500

11.

12.

— , 535—88

,

			5	
	, 2	29,10 913,86	11,92 50,38	5,91 22,16
	, 4	23,03	44,95	2,87
	, 4	114,23	-	-
	, 3	-	—	9,37 7,76
	(), 3	-	—	30,98 9,45
	(), 3	11,52	10,96	1,51
	, 3	—	1,63	2,34
1	,	22,84	9,36	4,64
	,	1	7,85	/ 3.

Ns -2268/23

15 2003 .

!

19240-73

60x84 16 . 0,23

—
()
127238, , 46, . 2
/ : (095) 482-42-65 —
. (095) 482-42-94 — ,
(095) 482-41-12 — ,
(095) 482-42-97 —