



22695—77

22695—77

Laminated wall and roof panels with foam plastic thermal insulation. Foam plastics Methods of strength testing

1 1977 . 136

01.01.79

(

),

1.

1.1.

1.2.

1.3.

1987 .

®

, 1987

5 (

1.4.

).

, 50X50

40X60

1.5.

, 75

, 35

1.6.

1.7.

1

1.8.

0,1

1.9.

1.10.

24

65±5%,

1.11.

20±2°

2.

2.1.

10%

2.2.

2.2.1.

,

1%

2.2.2.

1,

0,1

2.3.

2.3.1.

,

2.3.2.

/// , (— . 1).
2.3.3. ,

2.3.4. ($>$ - 10^5 (/ m^2),

F ();

2.3.5.

2.4.

2.4.1.


3.

3.1.

3.2.

3.2.1.

1%



1— ; 2—
4— ; 3— ;
5— ; 6— ;
1

3.2.2.

3.2.3.

3.3.


3.3.1.

3.3.2.

3.3.3.

 $(0,05 \pm 0,001)$

/ .2).



1—
 ; 2—
 ; 3—
 . 2

3.3.4*

3.3.5.

 $*10^5 \text{ (} / \text{ }^2\text{)},$

\bar{F} —
3.3.6.

3.4.
3.4.1.


4.

4.2.1.

1%

4.2.2.

3



1— ; 2— ; 3— ; 4— ; 5—

. 3

4.3.

4.3.1.

4.3.2.

4.3.3.

4.3.4.

4.3.5.

 \bar{W}

$$W = \frac{\pi D^3}{16} \left[1 - \left(\frac{d}{D} \right)^4 \right],$$

4.3.6.

4.4.

4.4.1.

6000	20 08 87	30 10 87 0,	0,5	0,38	3
	« »	, - ; "*,	, 123840,	, 1149	, 3