

**23353—78**

23353—78

**Threaded pipeline connections. Cartive nute.**  
Construction

41 9300

01.01.80

1.

( 1)

( 2)


. 2, 5

24

15763.

( 2. 2, 3).

1.  $D=(0,9\dots0,95)S$ .  
2.



©

©

, 1978  
, 1998

			i		4.		4		D		1: ±0,2		4 ±0,3		1: ±0,2		4		1: ±0,2					
1	2,5	4	10	-0,40	4	8	1	,5	5,0	8,0	-			11,0	-		5,0		10	4,67	-			
	3,0	5	12		5	MIOxI	13,8	5,5	8,5	-				1,8	11,5	-	+0,8	5,5	12	6,42	-			
	(0	6			6															6,17	-			
	6,0	8	14		8	21,5	16,2	6,0	9,0	-				12,0	-	6,0	-	14	8,09	-				
	4,0	6			6																10,50			
	6,0	8	17		8	14*1,5	19,6							2,0	14,5	-	8,5	7,5	17	16,10	-			
	8,0	10	19		10			16	1,5	21,9										19	19,83	-		
	10,0	12	22		12			18	1,5	25,4				8,0	11,5	-	7,5	6,5	22	27,40	-			
	12,0	15	27		15	22	1,5	31,2													27	48,00	73,50	
		(16)	30		16			24	1,5	34,6				8,5	12,5	18,0	3,0	17,0	27,0	6,0	16	30	57,54	88,48
	15,0	18	32		18	26	1,5	36,9													5,0	16	32	63,67
	20,0	22	36		22	30*2	41,6	9,5	14,5	20,5	3,0	20,0	31,5							5,0	16,5	36	88,59	134,80
	25,0	28	41		28			2	47,3	10,0	15,0	20,5	3,0	21,0	32,0					6,0	17,5	41	101,33	149,25
2	32,0	(34)	50		34	45	2	57,7						25,0	4,0	37,5	24,0	38,0	7,0	20,5	50	157,84	234,85	
		35			35				150,0	230,0														
	40,0	42	60	-0,80	42	+0,57		52*2	69,3			26,5	4,5							5,0	19,0	60	243,70	371,85

3	$(D_s)$	$d$		4,		4	$D$	1,	6		$k$					1000	$s$						
									$\pm 0.2$														
		1	2	1	2				1	2		1	2	1	2								
3	3,0		17	-0,48	6	+0,39 +0,27	MI4 1,5	19,6	8,5	2,5	16,5	+1,0 -0,5	9,5	17	18,68	-	-						
	4,0	8	19	-0,56	8	+0,43 +0,28	MI6 1,5	21,9		12,5			8,5	19	21,94	-	-						
	5,0	10	22		10		18 1,5	25,4		17,5			8,5	18,0	22	32,84	48,40						
	6,0	12	24		12	+0,51 +0,16	0x1,5	27,7		3,5	17,5		6,5	16,5	24	36,79	55,46						
	8,0	( )	27		14		2x1,5	31,2		18,5			9,5	18,5	27	59,01	79,55						
	10,0	16	30		16		,5	34,6		10,5	14,5		7,5	18,5	30	70,92	104,32						
	12,0	20	36		20	+0,51 +0,16	30 2	41,6		12,0	17,0		9,0	21,5	36	109,53	159,88						
	15,0	25	46		25	+0,51 +0,30	36 2	53,1		14,0	19,0		10,0	24,5	46	220,23	326,77						
	20,0	30	50		30		42 2	57,7		15,0	20,0		12,0	29,5	50	240,08	366,09						
	25,0	38	60	-0,80	38	+0,56 +0,31	52 2	69,3	17,0	22,5	36,0	7,0	15,5	35,0	60	347,65	526,37						
	32,0	45	70	-0,92	45	+0,62 +0,32	60 2	80,8	20,5	25,5	-	2,0	15,0	-	70	524,88	-						
	40,0	57	85		57	+0,64 +0,34	72 2	98,0	22,5	28,5	-	7,5	16,0	85	852,18	-	-						
	50,0	76	105		76	+0,66 +0,36	0x2	121,3	25,5	30,5	-	9,0	17,0	105	1349,51	-	-						

1.  
2.  
3.

1/2

. 4

**23353-78**

18

2:

**2-18**

**23353-78**

,

**2 - 18**

**23353-78.**

(  
3. ( , . 3).

4.

( )

15763,

3;

22525,

2.

—

5.

, , ,

, , ,

—

15763.

4, 5. ( , . 3).

—

1.

; . . , . . ; . .

2.

16.11.78 3006

3  
12.10.95 ( 8)

:

3. 15801-70; 18563-73; 21875-76

4.

15763-91  
22525-771, 4, 5  
45. , 7-95  
( 11-95)6. 1989 , ( 1997 .) 1, 2, 3, 1982 .,  
1996 .( 11-82, 8-89, 11-96)

Ne 021007 10.08.95. 19.01.98. 02.02.98. 0,93. 0,54.  
253 . 85. . 67. . . . .  
, 107076, . , . 14.  
— . “ ” , . , . 6.  
080102