



23354-78

23354-78

Threaded pipeline connections. Cut ring.
Construction

41 9300

01.01.80

1

24 \


2—5, 7, 8, 10

15763.

(2.

1

12,5 ✓ (✓)



* Конструкция кромки рекомендуемая.

Примечание. Размер l и угол 45° — рекомендуемые.

Черт. 1

Издание официальное



Перепечатка воспрещена

© Издательство стандартов, 1978
© ИПК Издательство стандартов, 1998

	DN (D)	v	d		4	4	1	R	h	1000	
			4	hi 2	4				-0,05		
1	2,5	4	4	+0,215 +0,140	4,9	5,5	3	5,5	0,15	0,34	
	.	5	5		6,4	7,0				0,75	
	4,0	6	6	+0,240 +0,150	7,4	8,0	3,5	6,5	0,3	0,87	
	6,0	8	8		9,4	10,0				1,12	
2	4,0	6	6	+0,215 +0,140	7,7	9,0	5,0	8,0	0,35	1,46	
	6,0	8	8		9,7	11,0				1,85	
	8,0	10	10	+0,240 +0,150	11,7	13,0	5,5	9,0		2,56	
	10,0	12	12		14,0	15,0				3,28	
	12,0	15	15	+0,260 +0,150	17,0	18,0	6,0	9,5		4,20	
		(16)	16		18,0	19,0				4,46	
	15,0	18	18	+0,290 +0,160	20,0	21,0				4,98	
	20,0	22	22		24,0	25,0	7,0	12,0	0,45	6,4	
	25,0	28	28		30,0	31,0	6,5	10,5		8,38	
	32,0	(34)	34	+0,330 +0,170	36,7	39,0	17,87				
		35	35		37,7	40,0	18,00				
	40,0	42	42	+0,340 +0,200	44,7	47,0	7,5	12,5		22,35	
3	,	6	6	+0,215 +0,140	7,7	9,0	5,0	8,0	0,35	1,46	
	4,0	8	8	+0,240 +0,150	9,7	11,0				1,85	
	5,0	10	10	+0,260 +0,150	11,7	13,0	5,5	9,0		2,56	
	6,0	12	12		14,0	15,0				3,28	
	8,0	(14)	14	+0,290 +0,160	16,0	17,0	6,0	9,5		3,94	
	10,0	16	16		18,0	19,0				4,46	
	12,0	20	20	+0,330 +0,170	22,6	24,0	7,0	11,0	0,45	8,42	
	15,0	25	25		27,6	29,0				10,36	
	20,0	30	30		32,7	35,0	7,5	12,0		15,42	
	25,0	38	38	+0,330 +0,170	40,7	43,0				20,47	

1.
2. h
3.
35 2, 12 () 1 40 , 40 ,
8 :

1-8 23354- 78


, 12 : 1-8-12 23354- 78

2 6,8,10,12,16 ,

3.

1, 2. (, . 2, 3).

3. : 12 , 12 — 40 , 40 , 35 2 — 34...39 HRC₃,
 0,05—0,08 HV
 380...412.
 (, . 2).
 4.
 , — ,
 5. 25670.
 0,15
 6. (, . 3).
 7.
 9.306.
 8. 40 , 40 35 2, 12 6—12
 12
 .2.
 (, . 2).
 9. ()
 15763, 3; — 22525,
 2.
 10. , , , ,
 ,
 15763.
 9, 10. (, . 3).



Черт. 2

1.

· · ; · · , · · ; · ·

2.

16.11.78 3006

3
12.10.95, 8

·

3.	15800-70; 21874-76	
----	--------------------	--

4.

,	
9.306-85	7
15763-91	1, 9, 10
22525-77	9
25670-83	4

5.

7—95
(11—95)

6.

1989 ., (1997 .) 1, 2, 3, 1982 .,
1996 .(11-82, 8-89, 11-96)

021007 10.08.95. 19.01.98. 03.02.98. . . . 0,93. . . . 0,45.
250 . 88. . 72. , 107076, , ., 14.
— . " , , ., 6.
Ns 080102