

23356-78

£
1

2

23356-78

1.

[illegible]

2.

16.11.78 3006

3.

18561-73

(8 12.10.95)

•

4.

1

1051-73	3
7417-75	3
15763-91	1, 7, 8
22525—77	7
25670-83	5

5.

7—95

(11—95)

1996 . (8-89, 11-96) 1997 . 1, 2, 1989 .,

.	.	021007	10.08.95.	20.01.97.	11.02.98.	.	0,47.	-	0,37.
				246	-135.	.98			
				107076,	,			,, 14.	
				—	“			”	,, 6
				N° 080102				,	

23356-78

Threaded pipeline connections. Pressing rings.
Construction

41 9300


01.01.80

1 .

.2, 4, 5 8

15763.

(
2. , . 1, 2).



	-	D_h	d	$d \backslash$		ch	di			1000 ..
				.	:	.				
						+0,1	hi 1	+0,2	+0,3	
2	12	15	12,5	15	+0,26 +0,15	17,3	20,3	9,0	7,0	16,00
		(16)		16		18,3	22,3	9,5	7,5	16,73
	15	18	15,5	18		20,3	24,3			18,10
	20	22	19,5	22	+0,29 +0,16	24,3	27,3	10,5		21,86
	25	28	24,5	28		30,3	33,5			27,98

	($DN (Dy)$)		d							1000 ,
						+0,1	1	+0,2	+0,3	
2	32	(34)	29,5	34	+0,33	37,0	42,2	13,5	10,5	79,92
		35	30,5	35	+0,17	38,0				81,00
	40	42	36,5	42	+0,34 +0,20	45,0	49,2	14,0	11,0	96,49
3	5	10	7,5	10	+0,24 +0,15	12,3	16,3	9,0	7,5	10,57
	6	12	8,5	12	+0,26 +0,15	14,3	18,3			12,18
	8	(14)	10,5	14		16,3	20,3	10,0	8,0	16,01
	10	16	12,5	16		18,3	22,3	10,5	8,5	19,08
	12	20	16,5	20	+0,29 +0,16	22,9	27,3	12,5	10,5	32,84
	15	25	20,5	25		27,9	33,2	15,0	12,0	54,09
	20	30	25,5	30	+0,33 +0,17	33,0	39,2	16,5	13,5	77,13
	25	38	32,5	38		41,0	49,2	19,0	16,0	125,96

1. :

2. , , .

2

18 .

2-18 23356-78

(, . 1,2).

3. — 5- 45 1051.
7417.

4. — 28...31 HRG,.

5. , -
, — 25670.

6. (, . Ms 2).

7. () -

— . 22525, 2. — 15763, 3;

8. , , —

15763.

, 8. (, . Ms 2).