



**23357—78**

1.

. . . . . , . . . . . ; . . .

2.

16.11.78 №3006

3.

18562-73

№ 2 ,  
 ( 8 12.10.95 )

:

--	--

4.

,	
481-80	3
495-92	3
15763-91	6
21631-76	3
22525-77	5

5.

7—95  
 ( 11— 95)

6. ( 1997 .) №1, 2, 1989 .,  
 1996 .( 8-89, 11-96)

021007 10.08.95.	21.01.98.	11.02.98.	.0,47 .	.0,40.
	246 . J34. .99			
	107076, ,		, 14.	
	— .“ , ,			, 6
	080102			

23357—78

**Threaded pipeline connections. Joint washers for radial mounting.**  
**Construction**

41 9300


01.01.80

1.

.2, 4, 4' 6

15763.

2.



$D_H$	$d$	$D$	$h$	1000			
	+0,3	-0,2					
10	8	15,9	1,5	0,597	1,970	0,460	
12	9	17,9		0,700	2,320	0,540	
(14)	11	19,9		0,875	2,890	0,675	
15	13			0,722	2,380	0,588	
16	21,9	0,986		3,260	0,760		
18	16	23,9		1,003	3,312	0,768	
20	17	26,9		1,448	4,800	1,117	

©  
 ©

, 1978  
 , 1998

D <sub>h</sub>	d   D		h	1000 ..			
	.			.		.	
	+0,3	-0,2					
22	20	26,9	2,0	1,538	5,081	1,178	
25	21	32,9		2,530	8,360	1,950	
28	25	32,9		1,940	6,409	1,486	
30	26	38,9		3,340	11,030	2,570	
(34)	30	41,9		3,629	11,988	2,779	
35	31			3,308	11,110	2,700	
38	33	48,9		4,920	16,300	3,800	
42	37	48,9		4,017	13,271	3,077	

1.  
2.  
3.

18 : 18 23357—78

MI: 18 MI 23357—78

18 23357-78

3. 21631;  
- MI; 3 ; ; ; 495;  
- 481.

1—3. ( , , . 1, 2).

4. ( , , . 1).  
4 . ,

( , , . 1).  
5. 2 22525.  
6. 15763.  
( , , . 2).