



2361—74

2361—74

Limiters for flap covers of cases.
Specifications

5371

01.07.75
01.07.95

1.

1.1.

1— ;
2— ;
3— ;
4— ,

110°.

(, . 3).

2.

2.1.


. 1 . 1. 1

©

©

, 1974


, 1990



5-5



2



Черт. 1

4
 $\frac{E}{5}^{-1}$

(1) (2) (3) (4)

.	<	D	,	<	0J	X
F)	S					
X	X					
1				3 , 2	4 , 8	0,047
2		I	90	3,4	6,6	0,048
Q				3,2	4,8	0,052
4			125	3,4	6,6	0,053
5		2	150			0,120
6			260			0,148

0J
X /
4»
3
§\

<

m
b>—
" +
CD


1, 2, :

1—2 2361—74



1.

2. . 1—12

(, . 3).
2.2.



2



. 2

2

		<i>d</i>	<i>D</i>	
1	1	3,2	4,8	0016
2		3,4	6,6	0 014
3	2	3		0 034


2,

15 :

2 15 2361—74.

(2.3. , . 2, 3).

. 3 . 3.



Черт. 3

3

	L	($\frac{1}{\pm 1}$)	$h-r$			
1	105	70	7,5	15	1,5	0,010
2	140	105				0,015
3	170	130	10,0	20	2,5	0,041
4	280	240				0,069

2,

15 :


2 15 2361—74.

(, . 3).

2.4.

. 4

. 4.



Черт. 4

4

	L	1		,
1	12	9	3,5	0,004
2	17	14	4,5	0,005

2,
15 :




2 15 2361—74.

(2.5.

, . 2, 3).

2

. 5 . 5.



. 5

				<i>d</i>	<i>D</i>	,		(1)	(2)		
—						,		—			
26		1									
27		2									
28		1									
29		2									
30		3									
31		1									
32		2									
33		3									
34		2									
35		3									
36		1									
37		2									
38		1									
39		2									
40		3									
41		1									
42		2									
43		1									
44		2									
45		3									



2,
2,
:

2—2
2361 74.



(
2.6.
,

, . 3).
. 6.



1 $12,5 \checkmark$ (✓)



2



3



.6

		<i>d</i>	<i>D</i>	,
1	1	3,2	4,8	0,004
2	2			0,007
3	1	3,4	6,6	0,003
4	2			0,006
5	,3	3,6	.	0,008

2,

15

2 15


2361—74.

(2.7.

. 7

. 7.

2, 3).



4




. 7

	$L(\pm 2)$,	,		$L(\pm 2)$,	,
1	115	0,006	6	415	0,018
2	165	0,008	7	515	0,022
3	215	0,010	8	665	0,028
4	315	0,014	9	815	0,034
5	375	0,016			

2:

2 2361—74.


2.1—2.7. (, . 1).
2.8. 3
.8 .8.





14 3 2



Z



3

 $B - B$ 

. 8

X : X 0*	0	X 1)	X 0	L	5	b	ii					(1)	1	(2)	2	(3)	(4)
X 1)	0	X 0	X 5									0	X 0	0	X 0	0	0
X 2)	X	X 6	X 5									0	X 0	0	X 0	0	X 0
X 0*	X	X 5										0	X 0	0	X 0	0	X 0
2-	80	23	1'5	3,5	5,2	33	JL	0,030	1	1	1	1	1	1	1	1	0
-3						-	-	0,032	1	3	1	3	1	3	1	3	1
3	1	100	58	46		40	18	0,112	3	1	3	1	3	1	2	2	1
J.	3					-	-		4	3	1	4	3	1	1	1	1
5	2	125	34	23		52	30	0,079	5	2	5	2	5	2	3	3	1
Ji	3					-	-	0,082	6	3	1	1	1	1	1	1	1
7	1	130	00	46		60	24	0,180	7	1	7	1	7	1	4	4	1
8	3					-	-	0200	8	3	8	3	8	3	4	4	1

3,
2,

:

3-2// 2361-74,

3-2 6/ 2361-74,


(, . 3).

2.9.


. 9

. 9.

1



3



Черт. 9

				bi	<i>h</i>	<i>h</i>	<i>L</i>	<i>/</i>	1.	la	<i>d</i>	<i>d\</i>	<i>k</i>		<i>f]</i>	<i>s</i>	
-	1																
J_	2	15	7	4	33	9	48	45	17	1	3,2	3,5	9	6,1	5,0	10	4
2	3				—					17			—	—			0,016
3	1	46	22	12	40	12	61	56		22		4,5	10	7,1			0,050
	3				—	—			23		4,5	—	—		7,5	1,5	0,052
5	2	22	10	6	52	12	72	67		30		4,5	10	7,1			0,035
6	3				—	—						—	—	—			ML
8	1 3	46	22	12	60	15	83	78	28	34	5,5	4,5	10	7,1	8,5		0,092

1, 2,

15 :

1-2 15 FOCI 2X1-71

1-2 15 / FOCI 2361-11



(Измененная редакция, Изм. № 3).

2.10.


. 10

2

. 10.


6-6

исполнение 2



J

V.



. 10

				<i>b</i>		4		<i>L</i>	I	II	<i>d</i>	<i>di</i>	<i>Ai</i>	<i>di</i>		<i>S</i>	
2																	
	2	15	7	4	9	16		32	28	17	3,2	3,5	9	7,1	5,0		0,010
2	3				—	—					—	—	—	—			0,012
3	1				13	18					4,5	4,5	10	7,1			0,04»
4	3	46	22	12	—	—		39	34	23					7,5		0,042
5	2	(22	10	6	15	30	53	48	30	4,5	4,5	10	7J			0,025
6	3																0,028
7	1				15	24		47	41	27	5,5	4,5	10	7,1	8,5	1,5	0,050
8	3	46	22	12	—	—					—	—	—	—			0,052

2, 2,

15 :

ms foci ani

То же, без отверстий:

Створка 2-2 Ц15 б/о ГОСТ 2361-74.

гост


W

(

2.11.

. 11

. 11.



. 11

	d	L	,
1	3,0	16	0,0006
2	4.0	47	0,0020
3		23	0,0040
4	5,0	47	0,0050

2,

15


:

2 15 2361—74.

2.12.

. 12

. 12.




. 12


	<i>d</i>	<i>L</i>			,
1	2,5	32	18	1,5	0,005
2	4,0	42	50	2,0	0,020
3		49	26		0,015
4	5,0	50	50	2,5	0,028

15

2 15 2361—74

2.8—2.12. (, . 1, 2, 3).
 2.13. 4 -
 . 13.





*

. 13

4:

4 2361 74.

(, . 3).

3.

3.1,

(, . 2).

3.2. — 14, — $h14$, ± 1 \ 4 ;

(, . 1, 3).

3.5.

0,8 10, , 15, 20 , , — 3, 0,8,
 19903—74 19904—90; 16523—89.
 — 10, , 20, 20 , — 45
 1050—74, — — 2590—88 7417—75;
 , — — — 3282—74.

1;

3

(, . . 1, 2, 3).
3.6.

2,9

(, . . 3).
3.7.

3.8.

,
3.9.
14961—85.

(, . . 3).
1. (, . . 3).

9.306—85.
9.301—86.

25129—82 -0119 23343—78,
-278

-021

9.303—84..

(, . . 1, 2, 3).
3.12.

-166 5470—75.

(, . . 1).
3.13.

3.14. 4

. 1 2.
3.15. 4
35 -1 977—75.

3.16. — 1,5

3.17. ,
3212—80.

3.18. 1,5 .
3.19.

, , , ,
1 . , , 10%

3.20.

3.14—3.20. (, . 3).

4.

4.1. .

(4.2, 15, 1). 3%

5.

5.1.

5 2.

(, . . . 1).

6. , , ,

6.1.
18617—83.

8828—75

515—77.

(
6 2.

-201 6267—74
19537—83.

6 3.

14192—77

, ; ; ;

6 4.

14192—77.

6 5

6.3.

2.601—68,

, ; ; ; ; ;

6 6.

6.5, 6 6 (, . 2).
6 7. () 9.014—78.



()

7.


7.1.

15 7 2 2 — 10 1 3 —

4



14



15

(, . .).

1.

, . , . , . , .

2.

25.07.74 17693. — 1994 .
— 54. **2361—43**

5.

2 601—68	6 5
9 014—78	67
9 301—86	3 11
9 303—84	3 11
9 306—85	3 11
515—77	61
977—75	3 15
1050—74	3 5
2590—88	3 5
3212—80	3 17
3282—74	35
5264—80	2 12
5470—75	3 12
6267—74	6 1
7417—75	3 5
8828—75	6 1
11371—78	6 3
14192—77	6 2 6 4
14961—85	39
16523—70	35
18617—83	6 1
19537—83	6 2
19903—74	3 5
19904—74	3 5
23343—78	3 11
25129—82	3

6.

01.07.95**25.12.89 4094**7. (1990 .) 1, 2, 3, -
1980 .. 1985 . 1989 .
. 4094 25.12.89 (7—80, 7—85, 4—90)

16 02 90 15 05 90 2 0 2,13 1,41
 8000 5

« » , 3 123557,
 , , 39 401.

	11	m bg s	

^

		mo! cd	
	[rad sr	

		j	
	^		

	Hz N		-1 * ~2 "1 * ~2
	J W		Kl ~2 2 - ~3
	V F		2 ~3 • -1 "2 " " * 4 - 2 " * - "3 - "
	S Wb		A - A - 3 2 2 * ~2 "1 *2 "1
	!		2 ~2 • -2 •
	!		~2 * • -1
	Bq		2 - -2
	Gy		
	Sv		2* -2