



23790-79,

23791-79

«...», - . ( ; ); «...», -  
«...», - . ; «...», -  
«...», - .

\* .

27

1979 . 128 129

# Phosphates fire protective wood coating. Technical requirements

**23790-79**

57 5200

27            1979 .    128

**01 01. 1980 .**

—

1

1

16363—76.

7

1.

### 1.1.

1

1

75%.

1

1

©

**, 1979**

1.2.									-
—						*			-
1.3.								,	-
								,	-
1.4.						0,6—0,8	-		-
1 2							—	500—700	
1.5.									-
1,5								1,5	
	5	1	2.						
1.6.									-
									-
								-	-
								-	3
1.7.									-
						75%.			
1.8.									-
									-
1.9.								:	-
1-10.									
SiO <sub>2</sub>	40%	1 <sub>2</sub> O	40%	15%.	(	)	1 <sub>2</sub> O	30%	-
								SiO <sub>2</sub>	
1.11.									-
						20291—74.			
1.12-									
								,	-
6691—77									
1.13.						6344—73.			-
10262—76.						8135—74			
1-14.								2%	
1.15									-
,									-
1-16.						(			-
)									

	, %
( )*	35—40
( ( )** )	14—16
	4—6
	14—16
	4—6
	18—22

\*  
\*\*

— .  
.

2.

2.1.

— .  
\*  
-

2.2.

2000 2

2.3.

-

2.4.

( . 1\*5)

2.5.

10%

,  
-

. 1.5,  
2.6.

10

166—73

±0,1  
10 .

1.

1.1. , . 1.10—1.14 ,

2.

2.1. : ;

2.2. 2.2.1. -

2.2.2. , 2% 100±10° , ( , , ).

2.2.3. 1,5 . -

2.2.4. ±0,1% . -

2.2.5. 2%

018 3584—73.

2.2.6. 215 / 3.

2.2.7. 1 , -

2.3. 2.3.1. -

2.3.2. -

20—70° ,

2.3.3. .

	( . )
( )	5 4

	( )	
4 . — 1 .		
2.3.4. -4	20 40 -	
2.3.5. 1	3584—73 2%	
( ) ,		
2.3.6. 5°	-	
6 20—70°	-	
3.		
3.1.	-	
3.2. 16%		
3.3. 3.3.1.		
5 / 2.	7385—73	
40 ,		
70 .	10597—70	10831—
—72. 3.3.2.		
50°		
10° . — 24 .	50° — 2 ,	
3.3.3.	75%,	
-534 6—10—801—76.	-115 6465—76	
3.3.4.		
10597—70,	10831—72.	7385—73
4.		
4.1. 21119.6—75.		
4.2. 310.2—76.		
4.3. 16588—71.		10 -
4.4. 5382—73.		
4.5. 9179—77.		
4.6. 8420—74.		-
5802—78.		

5.

5.1. , - .

5.2. , , -

5.3. , .