

**23866-87**

Single-seated, double-seated and cage control valves  
Basic parameters

23.060  
23.060.40  
37 0000

01.01.89

( — )  
,  
,  
,  
1. — <0,1.  
12893/  
.1.

1

( <i>1</i> <i>2</i> )	<i>D<sub>y</sub></i>	<i>K<sub>v</sub></i> , <i>3f</i>				1.0	1.6	4,0	6,3	16	25
1,6(16)	25	16	<b>10</b>	6,3	4,0						
	40	40	25	16							
	50	63	40	25							
	80	160	100	63							
	100	250	160	100							
	150	500	400	250							
	<b>200</b>	1000	630	400							
	250	1600	1000	630							
	300	2240	1600	1000							

1

	(1/2)	D <sub>y</sub>	K <sub>v, 3/</sub>					-							
			1,6	4,0	6,3	16	25		1,6	4,0	6,3	16	25	40	
	1,6(16); 6,3 (63); 16,0 (160); 25,0 (250)	15	4,0	2,5	1,6	1,0	0,63	;		—	7	11			
			0,4	0,25	0,16	0,10					9	16	—		
	6,3 (63); 16,0 (160)	20	6,3	4,0	2,5	1,6									
			10,0	6,3	4,0	2,5	2,5								
	1,6(16); 4,0 (40); 6,3 (63); 16,0 (160); 25,0 (250); 40,0 (400)	25	25	16	10										
			25	16	10										
		50	40	25	16										
			100	63	40										
	1,6(16); 4,0 (40); 6,3 (63); 16,0 (160); 25,0 (250)	100	160	100	63										
			150	400	250	160									
	1,6(16); 4,0 (40); 6,3 (63); 16,0 (160); 25,0 (250); 40,0 (400)	15	4,0	2,5	1,6			;							
			25	16	10	6,3	4,0				24				
		40	25	16	10						28	45			
			40				16								
		50	32	25						20					
			100			40				40	60	125			
		5U	80												
			160		100	63					80				
		100	125												
			400		250	160					120	160	290		
	4,0 (40); 6,3 (63); 16,0 (160)	200	630		400	250		—					—	—	
			500												
		250	1000		630	400							—	—	
			800												
		300	1600		1000	680							—	—	
			1250												

.1

1. , 6,4 ,

2. « » « » — , « » —

3. , ( )

4. „ „

5. , , ,

2. — 4 %

3. — 15 ° 250 ° ,

— 70 ° 530 ° ,

4. — 356. , ,

— 1,0 , ,

5. : 4; 6; 10; 16; 25; 40; 60; 100; 160; 200 ,

6. , , ,

0,15 20 —

7.

(        )

,

.2.

2

	(        ), % <sub>vr</sub>	
I	( - )	
II	0,5	, -
III	0,1	, , -
IV	0,01	, -

:

1.

2.

0,05 % „

1.

2.

20.11.87 4200

3.

23866-79

4.

,	
356-80 12893-83	4

5.

3706—93	.....	3
5762—2002	.....	
9698—86	.....	11
12521—89	.....	30
13252—91	.....	37
13547—79	.....	42
22241—76	.....	48
22413—89	.....	54
22445—88	.....	73
25923—89	.....	77
12678—80	.....	84
12893—83	.....	89
21805—94	.....	92
23866—87	.....	105
1,6	.....	118

8-2004

3.

23.05.2005.	16.08.2005.	60-847 <sub>8</sub>
14,42	12,30	400
		1198
		3330/2. 1670.

« 123995 , „ 4.  
 www.gostinfo.ru info@gostinfo.  
 , 248021 , , , 256.