



24072-80 —

24094-80

24072-80-

24094-80

(); - . , , . ;

8 1980 . 1586

©

, 1980

24072-80

Passage tube connections with cut ring
Construction and basic dimensions

15764—70
21838—76


1980 . 1586

8

01.07. 1981 .

01 07* 1991 .

1-
(
393 (120°).
2.
, 233 (40°)



*
1 — 21856—78
23353—78, 3 — 23354—78

			L	1	„	11	1000 „,
					S	S,	
1	4	2,5	32	12	9	10	31
	5	3,0	34	9	12	12	37
	6	4,0					39
	8	6,0	36	12		14	48
2	6	4.0	40	10			49
	8	6,0	41	11	14	17	68
	10	8,0	44	13	17	19	86
	12	10,0	46	14	19	22	112
	16	12,0	50	15	24	30	207
	18	15,0		16	27	32	253
	22	20,0	56	20	32	36	322
	28	25,0	59	21	41	41	412
	34	32,0	67	20	46	50	683
	42	40,0	70	21	55	60	9i2
3	6	3,0	46	16	14	17	76
	8	4,0	48	18	17	19	108
	10	5,0	51	17	1	22	133
	12	6,0	54	19	22	24	i46
	14	8,0	61	22	24	27	193
	16	10,0		21	27	30	243
	20	12,0	69	23	32	36	291
	25	15,0	77	26	41	46	730
	30	20.0	84	27	46	50	9i 1
	38	25,0	94	29	55	60	1343

L

1 $d_H = 8$:

1—8 24072—80

3.

22525—77,

1.

4.

,

,

, 15763—75.

1 24072—80

26.10.89 3203

01.07.90

«and basic dimensions»

dimensions». : 41 9300.
1 : «1

24°».
2. () : d_H D_H ; 12,0 32,0

(. . 140)

(24072-80)

	D	D	L	1	14 ,,		1000 ., ,
2	15	12,0	50	16	22	27	153
	(16)			15	24	30	184
	(34)	32,0	67	20	46	50	587
	35						576

« 1000 „ ». : 31 17, 37
 24, 39 24, 48 30, 49 37, 68 53, 86 70, 112 91, 253 212, 322
 290, 412 364, 912 853, 75 66, 108 84, 133 114, 146 140,
 193 185, 243 230, 291 386, 730 724, 911 866, 1343 1313;

»

(21990 .)