


24092-80

Threaded tube connections. Passage unions for welding.
Construction


МКС 23.040.60
41 9300

01.07.81

1. 24° (1)
(2). , , . 2, 3 5.
15763. (2, 3).
(2. 1) (2)



* $d_1 = (0,9-0,95) S$.



2, — 1.

©

, 1980
, 2004

	D_H	$(\quad)^{DN}$	d	d_2	d_3		D	1		L		S	1000	
					1	2		$\pm 0,2$					” ,	
								1	2	1	2		1	2
2		4	4	12 1,5	6	10	13,8	6	7	20	21	12		15,0
	8	6	6	14 1,5	8	12	16,2		8	21	23	14	17	20,0
	10	8	8	16 1,5	10	14	19,6			23	25	17	24	31,0
	12	10	10	18 1,5	12	16	21,9					19	31	38,0
	15	12	12	22 1,5	15	19	27,7	8	10	27	29	24	49	52,5
	(16)			24 1,5	16					26,5			57	70,0
	18	15	15	26 1,5 (27 2)	18	22	31,2			29	31	27	78	91,0
	22	20	19	30 2	22	27	36,9			10	12	34	36	32
	28	25	24	36 2	28	32	53,1	36	38			41	152	170,0
	(34)	32	30	45 2	34	40		14	38		43	46	250	260,0
	35				35				39				230	250,0
	42	40	36	52 2	42	46	63,5	16	41		46	55	340	380,0
3	6	3	4	14 1,5	6	11	16,2	6	7	23	26	14	21	25,0
	8	4	5	16 1,5	8	13	19,6		8	24	28	17	31	36,0
	10	5	7	18 1,5	10	15	21,9			27	30	19	44	53,0
	12	6	8	20 1,5	12	17	25,4				32	22	55	69,0
	(14)	8	10	22 1,5	14	19	27,7	8	10	31	35	24	70	79,0
	16	10	12	24 1,5	16	21	31,2			34		27	85	97,0
	20	12	16	30 2	20	26	36,9		12	38	40	32	150	177,0
	25	15	20	36 2	25	31	47,3	10		43	44	41	230	250,0
	30	20	25	42 2	30	36	53,1	10	14	45	49	46	360	393,0
	38	25	32	52 2	38	44	63,5		16	48	54	55	610	638,0

1.

2.

2

1

 $Z_H=8$:

2-1-8 24092-80

, 2:

2-2-8 24092-80

, 3 1:

3-1-8 24092-80

, 2:

3-2-8 24092-80.

(, . 1, 2, 3).

. 3 24092-80

3. — 16037.
 4. ()
 — 15763, 3; —
 22525, 2.
 5. , , — , , -
 15763.
 4; 5. (, . 3).

1.

2.

08.04.80 1589

3 , -
 (10 04.10.96)

:

3.

4.

-

15763-91 16037-80 22525-77	1; 4; 5 3 2; 4

5.

7—95

-

, (11—95)

6.

(2003 .)

1, 2, 3,

1984 .,

1988 ., 1998 . (3-85, 2-89, 8-98)

..
 ..
 ..
 ..

. . 02354 14.07.2000. 19.12.2003. 06.01.2004. . 0,47. - . . 0,35.
 267 . 88. . 19.

, 107076 , ., 14.
<http://www.standards.ru> e-mail: mfo@standards.ru

— . “ ”, 105062 , ., 6.
 080102