

24502—80

Partition tube connections with ball nipple.
Construction

41 9300

01.01.1982

01.01.2000

1.

(-


1)


(

2)

24°.

2.





*
 1 — 21872—78; 2 — 23353—78;
 3 — 23355—78; 4 — 23358—87;
 5 — 15803—76

			<i>i</i>			L					«			1000	
		o	1	2		1	2	1	it	h	S	Si	S.	1	2
	6	4	13			102		23	-		17	17	14	77	
	8	6	15			107	-	24	43	-	19	19	17	109	-
	10	8	1?	-	-	114	-	26	44	-	22	22	19	145	-
		10	19		-	113	-	26	45	-	24	24	22	189	-
	5	12	23		-	128	-	29		-	27	30	27	3	»
2)	12	25		-	128	-	29	47	-	32	32	30	382	
		15	28	-	-	134	-	32	50	-		36	32	441	
		20	31	-	-	139	-	36	54	-	36		36	572	
		25	37			145	-	39	55	-	41	46		764	
	(34)	32	47		-	157	-	43		-	50	55	50	1173	
	35	32	47	-	-	15?		43	6i	-				1158	
	42	40	54	-	-	157	-	44		-	60	65	60	1547	
-	6	3	15	-	-	109	**—#	28		-	19		17	121	
	8	4	17	-	-	114		29	i	-	22		19	162	
3	10	5	19	21	19	121	152	32	47		24		22	221	260

8.....JL007

			1			1					»			1000	
(0	\							1	Ith	5	Si	S2			
>1			1	2		1	2						1	2	
	12	6		23	21	126	156	32	48		27	24	279	315	
	14	8	23	26	24	134	160				30	27	369	404	
	16	10	25	27	25	136		37	51	112	32	30	433	450	
3		12	31	34	32	147	174	43	58		41	36	713	750	
	25	15	37	40	38	155	177	45	61	128	46	46	1113	1145	
	30	20	44	47	45	162		49	66	\	50	50	1538	1511	
	38	25	54	55	53	171	181	55	71	136	60	65	60	2334	2118

;

1,
2,

3 1 D_H=10 :

3-1-10 FOC/ -80

2:

2-2-10 FOC/24502-30

1,2, (, . 1).

3.

1

22525-77,

4,

15763-91,

1.

· · ; · · , · · ;
· ·

2.

6080 30.12.80 -

3.

— 1998 .

4.

20985—75; 22888—77

5.

-

-

,	
15763—91	4
15803—76	2
21872—78	2
22525—77	3
23353—78	2
· 23355—78	2
23358—87	2

6.

1989 .

25.10.89 3180

01.01.2000

-

7.

(1991 .)
1989 . (2— 90)

1,