

24503—80

**Dead tube connections with ball nipple.**  
Construction

41 9300


01.01.1982

01.01.2000

1.

24°.

2.



1 —

21873—78; 2 —

23353—78; 3 —  
23355—78

	◦	◦	L	I	« »		1000 ,
					S	Si	
1	4	2,5	37	18	9	10	
	5	3,0			12	12	17
2	6	4,0	41	23	12	14	27
	8	6,0	44	24	14	17	41
	10	8,0	47	25	17	19	56
	12	10,0	50	26	19	22	78
	15	12,0	53	28	22	27	128
	)				24	30	146
	18	15,0	55	29	27	32	169
	22	20,0	58	34	32	36	241
	28	25,0	61	36	41	41	344
	(34)	32,0	66	40	46	50	509
	35						497
	42	40,0	68	42	55	60	779
3	6	3,0	45	27	14	17	46
	8	4,0	49	29	17	19	66
	10	5,0	51	30	19	22	89
	12	6,0	55	32	22	24	119
	14	8,0	59	35	24	27	166
	16	10,0			27	30	180
	20	12,0	66	43	32	36	291
	25	15,0	72	47	41	46	502
	30	20,0	74	50	46	50	701
	38	25,0	80	58	55	60	1061

1 &gt; = 5 :

1—5 24503—80

1, 2. (

! . 1).

3.

1 22525—77.

4.

, , ,

, , ,

15763—91.

. 3

24503—80

1.

;

2.

30.12.80

6080

3. — 1998 .

4. 20986—75; 22889—77

5.

---

,

---

15763—91  
21873—78  
22525—77  
23353—78  
23355—78

4  
2  
3  
2  
2

6. 1989 . 01.01.2000 -  
25.10.89 3180

7. ( 1991 .)  
1989 . ( 2—90) 1,