

**25406-90**

**17**



2006

17

Hard metal brazed tips, type 17. Design and dimensions

**25406-90**


25.100  
77.160  
19.6000

01.07.93

1.

2.

.1.



	/	<b>b</b>				
17530	5,5		0,8			
17550	6,5	8	1,0			
17570	7,5	9	1,2			
17590	8,5					
17610	9,5	10	1,5	9, 10	7, 8	2, 11
17110	10,8					
17130	11,8	12	1,8		2, 7, 8	11

17150	13,0	14	2,0				
17170	14,0						
17190	15,0	15	2,2				
17210	16,0						
17230	17,0	16					
17250	18,0	18	2,5				
17270	19,0			9, 10	2, 7, 8		11
17290	20,0	20					
17310	21,0						
17330	22,0	22	3,0				
17350	23,0	24					
17370	24,0						
17390	25,0		3,5				
17410	26,0	26					
17430	27,5			4,0			
17450	28,5	28					
17470	29,5	28	4,5				
17490	30,5	30					
17510	31,5		5,0				

3. — 25393.  
 4. —  
 5. — 2209.  
 6. : 2— 15 6; 7— , - ; 8— 6, 6- ;  
 9- 6; 10- 8; 11 - - .

	15 6	- ,	6- ,	8	-
17530	0,39	0,53	0,52	0,51	0,51
17550	0,58	0,78	0,76	0,75	0,75
17570	0,90	1,21	1,19	1,17	1,18
17590	1,41	1,90	1,87	1,84	1,85
17610	1,57	2,12	2,08	2,06	2,07
17110	1,99	2,67	2,63	2,59	2,61
17130	2,10	2,82	2,78	2,74	2,76
17150	3,07	4,13	4,06	4,01	4,05
17170	3,21	4,32	4,25	4,20	4,24
17190	4,06	5,45	5,35	5,30	5,34
17210	4,22	5,65	5,60	5,50	5,54
17230	5,45	7,35	7,20	7,10	7,15
17250	6,65	8,95	8,80	8,70	8,76
17270	6,85	9,25	9,10	9,00	9,06
17290	8,20	11,00	10,80	10,70	10,77
17310	10,10	13,60	13,40	13,30	13,37
17330	11,90	16,00	15,80	15,60	15,71
17350	13,80	18,60	18,30	18,00	18,13
17370	16,50	22,20	21,90	21,60	22,00
17390	18,90	25,50	25,00	24,70	24,89
17410	19,40	26,10	25,70	25,40	25,51
17430	23,00	30,90	30,40	30,00	30,16
17450	26,00	35,00	34,40	34,00	34,21
17470	29,90	40,20	39,50	39,00	39,20
17490	33,60	45,20	44,40	43,90	44,20
17510	38,00	51,00	50,20	50,00	50,85

1.

2.

31.10.90 2762

3. 25406-82

4.

2209-90  
25393-90

5  
3

5.