



39

Hard metal brazed tips, type 39. Design and dimensions

25416-90


25.100
77.160
19 6000

01.07.93

1.

2.

1.



*

1

	<i>l</i>	<i>b</i>				
39010	18	2,5	2,5	1,25		2, 3, 8, 9, 10
39030	20	3,0	3,0	1,50		2, 3, 8, 9, 10
39050	25	5,0	4,0	2,50	2	3, 8, 9, 10
39130	32	6,0	5,0	3,00	2	3, 8, 9, 10
39150	36	8,0		4,00		2, 3, 8, 9, 10
39110	40	10,0		5,00		2, 3, 8, 9, 10

3. — 25393.
 4.
 5. — 2209.
 6. : 2— 15 6, 3— 14 8, 8— 6- , 6- ,
 9- 6, 10- 8.

2

	15 6	14 8	6- , 6- , 6	8
39010	1,25	1,26	1,66	1,64
39030	2,00	2,01	2,64	2,61
39050	5,52	5,55	7,30	7,20
39130	10,60	10,70	14,00	13,90
39150	15,90	16,00	21,00	20,70
39110	22,00	21,00	29,00	28,70

1.

2.

31.10.90 2764

3.

25416-82

4.

-

2209-90	5
25393-90	3

5.

13-1556

97