

**25420-90**

---

**44**



2006

44

**Hard meta) brazed tips, type 44. Design and dimensions****25420-90**


**25.100  
77.160  
19 6000**

**01.07.93**

1.

2.

1.



1

	<i>l</i>	<i>b</i>		6.			
<b>44010</b>	<b>12</b>	<b>6</b>		<b>4.5</b>	<b>5</b>	<b>0.9</b>	<b>2</b>
<b>44090</b>	<b>16</b>	<b>8</b>			<b>7</b>	<b>1.0</b>	<b>4</b>
<b>44050</b>	<b>18</b>	<b>10</b>		<b>5.5</b>	<b>9</b>	<b>1.4</b>	<b>5</b>
<b>44070</b>	<b>20</b>	<b>12</b>		<b>7.0</b>	<b>10</b>	<b>1.6</b>	<b>6</b>
							<b>3. 4</b>

3. — 25393.

4.

5. — 2209.

6. : 3 - 14 8, 4 — 5 10.

	14 8	T5KI0
44010	3,35	3,78
44090	5,70	6,43
44050	9,67	10,90
44070	16,90	19,10

1.

2.

**31.10.90 2763**

3.

**25420-82**

4.

,	
<b>2209-90 25393—90</b>	<b>5 3</b>

5.

14-1556

**105**