

27477-87

Check valves.
Basic parameters

23.060.50
37 0000

01.01.89

1.

873 (100 250 (1000 0,25 / 40 (2,5 400 / 2) 213
 60° 600°), 2500 / 2), 3 400 .
 4367—83 .
 2. — 24856.
 3. . 1—3.

1

, (/ m^2)	Dy,	(")	,	*** ,
1,6 (16)	10	213 (-60) 693 (+420)		6,0
	25			7,0
	40			12,0
	50			13,0
	65			22,0
	80			30,0
	100			35,0
	150			75,0
2,5 (25)	15	223 (-50) 373 (+100)		
	25			
	32			
	40			
	50			
4,0 (40)	40	218 (-55) 698 (+425)	,	13,0
	50			15,0
	65			25,0
	80			32,0
	100			42,0
	150			85,0
	200			140,0

, (/ ²)	Dy,	(“ ”)	,	***, ,
6,3 (63)	15	213 (-60) 873 (+600)	,	
	20		,	
	25		,	
	32		,	
	40		,	
	50		,	
	65		,	
	80		,	
	100		,	
10 (100)*	25	223 (-50) 623 (+350)	,	3,5
	50		,	6,0
16 (160)	15	213 (-60) 873 (+600)	,	
	20		,	
	25		,	
	32		,	
	40		,	
	50		,	
	65		,	
	80		,	
	100		,	
20 (200)*	15	223 (-50) 623 (+350)	,	4,0
	20		,	6,0
	25		,	8,0
25 (250)	10	225 (-50) 623 (+350)	,	
	20		,	
	25		,	
	32		,	
	50		,	
32 (320)*	10	223 (-50) 423 (+200)	,	2,0
	20		,	22,0
	32		,	35,0
40 (400)	10	223 (-50) 323 (+50)	,	4,0
	20		,	10,0
	32		,	37,0
	50		,	42,0
	65		,	64,0
	80		,	110,0
	125		,	255,0

ρ (/ m^2)	Dy,	(“)		*** ,
100 (1000)**	6	223 (-50) 323 (+50)		3,0
	10			5,0
	15			8,0
	25			12,0
	40			45,0
	65			150,0
	100			280,0
250 (2500)**	3	229 (-50) 573 (+300)		1,5
	6			3,5
	15			18,0
	25			20,0

*

**

ρ (/ m^2)	Dy,	(“)		, ,
0,25 (2,5)	50	243 (-30) 323 (+50)		4,0
	80			9,0
	100			12,0
	150			25,0
	200			43,0
	250			100,0
	300			150,0
	400			215,0
1,6 (16)	15	243 (-30) 498 (+225)		1,0
	20			1,0
	25			4,0
	32			7,0
	40			8,0
	50			10,0
	65			20,0
	80			25,0
	100			35,0
	150			74,0
2,5 (25)	32	243 (-30) 513 (+300)		7,0
	40			9,0
	50			12,0
	65			20,0
	80			25,0

, (/ ²)	Dy,	(“ ”)	,
1,6 (16)	15	273 (0) 498 (+225)	
	20		
	25		
	40		
	50		,
	100		
2,5 (25)	6	273 (0) 498 (+225)	
	15		
	25		
	32		

4. . 1 2 , ,

5. . 1—3

6.

7.

8.

15150

9.

4367-83

27477-87

27477-87		4367-83	
3	1,	2	1 2,

.5 **27477-87**

1.

., . , . , . , . , . (), . . -

2.

20.11.87 4201

3.

4367—83 .1 2

4.

22445—77

5.

,	
15150-69 24856-81	8 2

6.