



**27637 — 88**

2—88/134

**27637—88**

Semi-finished products of wrought aluminium  
thermo-hardened alloys. Control of microstructure for  
presence of overburning by metallographic method

1809

---

**01.07.89**  
**01.07.99**

1.

1.

1.1.

, ( ).

1.1.1.

1.1.2.

©

, 1988

1.2.

10

15

( ).

1.3.

1.4.

2.

200 1000\*.

( , , ).

25336—82.

166—80.

3956—76.

5556—81.

12026—76.

4461—77.

3118—77.

10484—78.

6709—72.

3.

3.1.

5%-

2,5<sup>3</sup>, 2,5<sup>3</sup>, 95<sup>3</sup>; 1,25<sup>3</sup>, 95<sup>3</sup>, 1,25<sup>3</sup>, (1:1:2)

(2,5:1,5:1).

3.2.

paciBop

20%-,  
 3.3. — 5 30 — (,  
 , )

3.4.

4.

4.1.

4.2.

200 .

500 .  
 4.2.1. ( , , ,  
 , 400 500 . ),  
 4.3. ,

5.

5.1.

,

2.

5.2.

( . 1—5),

; ( ( . 1; 5)  
 )

4

27637-88

5.3.

5.4.

5.5.

27637-88 .5


1

— , —

,

\*

250




, |

500




X23U



, 3


▲

50



. 4

XS00



. 5

*Продолжение*

X500



,  
; — & ;

1.

, , , , , , , , ,

2.

23.03.88

676

3.

4.

166—80	2
3118—77	2
3956—76	2
4461—77	2
5556—81	2
6709—72	2
10484—78	2
12026—76	2
25336—82	2

lb	14 04 88	10 06 88 0,75	0,75	0,47	5
	«                   »	, 123840, », ,	, 6. , 2329		, 3