

28918-91

5-2004


28918-91

Threaded pipe fittings. Clamping and thrust rings.
Construction

MKC 23.040.60
41 9300

01.01.92

24°.
1; 3; 4
1.
.1,2 .1 2.




© , 1991
© , 2005

	D_H^*	DN^* ()		$D_{JS\ 13}$	D_1	$J_{S\ 13}^{d_2}$	/ $\pm 0,2$	1000 ..
2	6	4	6,15	7	8	7,1	5,0	0,3
	8	6	8,15	9	10	9	5,5	1,
	10	8	10,15	11	12		6,0	1,52
	12	10	12,30	13	14	13,3	6,5	1,76
	15	12	15,30	16	17	16,3		2,33
	18	15	18,30	19	20	19,3	7,0	2,76
	22	20	22,30	23	24	23,3	7,5	3,58

* D_H — , $DN (D_y)$ — ().

1. ,
2.

2 $D_{ss} = 10$:
2—10 28918—91



Черт. 2

2

	D_H^*	DN^* ()	d_{12}	D_{11}	h_{12}	/ $\pm 0,1$		1000 ..	
2	6	4	6,15	7	9,5	4,5	1,0	1,01	
	8	6	8,15	9	11,5			1,39	
	10	8	10,15	11	13,5	5,0		1,60	
	12	10	12,30	13	15,5			2,09	
	15	12	15,30	16	19,5			4,57	
	18	15	18,30	19	24,5	5,5	1,5	7,50	
	22	20	22,30	23	27,5			7,21	


* D_H — , $DN (D_y)$ — ().

1. ,
2.

2 $D_{ss} = 10$:
2—10 28918—91

.3 28918-91

2. 15763() 2—
3. , — 15763.
4.



1— ; 2— 24° 22525;
3— 23353; 4— ; 5—

.3

1.

2.

26.02.91 177

3. 1

4.

,	
15763-91 22525-77 23353-78	2;
5.	2005 .

02354 14.07.2000. 24.01.2005. 08.02.2005. . . . 0,47. . . . 0,30.
101 . . 425. . 71.

, 107076 , . 14.
http://www.standards.ru e-mail: info@standards.ru

— . " , 105062 , . . 6.
080102