

**30225-94
(4251-5-92)**

()

5-2000

1

«

» ()

86

,

2

(

6 21.10.94)

,

:

3

4251-5—92 «

(

5.

)

»

,

4

(

4251-5—92) 20

2000

. 113-

30225—94

1

2002 .

5

©

, 2000

II

1	1
2	1
3	1
4	1
5	1
6	2
7	3
8	3
9	,	
	3
	,	4

30225-94
(4251-5-92)

()

Tyres (ply rating marked series) and rims for agricultural tractors and machines.
Log skidder tyres

2002—01—01

1

, , ,

2

22374-77 (3877-1-78, 3877-3-78, 4223-1-78)

25641.1—94 (4251-1—91) ()

3

— 22374 :

3.1 , :

3.2 , :

, —

4

() LS

25641.1.

5

, ,

1.

1—

					1)
			2)		
18.4- 26 LS 18.4- 34 LS 23,1-26 LS 24.5- 32 LS	16 16 20 21	467 467 587 622	1476 1679 1632 1831	504 504 634 672	1525 1728 1691 1892
28 L - 26 LS 30,5 L - 32 LS	25 27	714 775	1644 1847	771 837	1703 1909
0					
2>				(3 %)	

6

6.1

30 /

2.

2 —
(PR)

(Qmax)

()

	10 PR		12 PR		14PR		16PR	
	Qmsx->	,	Qmax'	,	Qmaxj	,	Gmax.	,
18,4-26 LS	2580	170	-	-	-	-	-	-
18,4-34 LS	2920	170	3250	210	-	-	-	-
23,1-26 LS	3245	140	-	-	-	-	-	-
24,5-32 LS	-	-	4495	170	-	-	-	-
28 L - 26 LS	-	-	3760	140	4285	170	-	-
30,5 L- 32 LS	-	-	4710	140	-	-	5370	170

6.2

110%
6.3

8 /

2

3.

3—

, /	1)
15	120
25	
30	100
40	90
!	2.

2

7**7.1**

25641.1.

7.2

,

1,

-

4—

18.4- 26 LS	16	DW 16
18.4- 34 LS	16	DW 16
23,1-26 LS	20	DW20A
24.5- 32 LS	21	DW21A
		DH 21
28 L - 26 LS	25	DW25A
30,5 L- 32 LS	27	DW27A
		DH 27

8

,

9

,

,

9.1

,

,

30 /

9.2

6.2, 6.3.

()

.1 —

			,		
			,		
		,		,	
33 L - 32 LS	29,00-32	838	1935+20	905	2000
66 43,00—25 LS	915-635	1100	1630±20	1188	1689
71 47,00-25 LS	1000-635	1200	1800+20	1296	1861
<hr/>					
—	3 %,	—	1,5 %.	—	—

. 2 —
(PR)

()

(F)

	10 PR		12 PR		16 PR	
	»	,	*	,	,	4
						,

23.1–26 LS¹)

- | 3610 |

170

33 L - 32 LS

5850

140

66 X 43,00-25 LS	5040	175	-	-	-	-
71 47,00-25 LS	-	-	5000	130	-	-

1 1

678.4.065:006.354

83.60.30

62

25 2120

02354 14.07.2000.

12.10.2000.

22.11.2000.

. 0,93.

- 0,60 -

194

6243

. 1043

, 107076,

„14.

N° 080102