

30237—96  
( 1005-3-82)

**1520**

12-96

,

1 243 « »,  
( - -  
, -  
( )

2 ( 9—96 12 1996 .)  
:

! 1      (	,

3 1005—3—82 « -  
3.

4 25.09.96  
593 30237—96

1 1997 .

5

© , 1997

||

1	.....	1
2	.....	1
3	.....	NT
4		NT
5	.....	
6	.....	5
7	.....	8
8	.....	9

1520

## Axles for tractive and trailing stock for 1520 mm gauge railways. Specifications

1997—07—01

1

15150

— — — — —

4.3, -

; 4.4, 2; 4.5; 5.4, 2; 4; 6.3, 2.

2

2789—73

4728-89

1520 (1524)

15150-69

1878-80 ,

21105-87

30237-96

3

4

4.1

10

25 ;

50

)

2

- ,  
 10 ;  
 - , ( )  
 15 ;  
 - ,  
 25 .  
 3  
 -  
 ;  
 ) — ,  
 1  
 , 2  
 (4.3):  
 1  
 ,  
 10 ,  
 15 , 20 ,  
 ,  
 2  
 ,  
 50 50 ,  
 1  
 4.4

1 ,

0,03

4.5 0,08 — 0,5

4.6

, , ,

3

30237-96

4 6 1

8 , 1 — 1 22

4 6 2

20 %

0,02 0,04

18—20

4 7

$R_z$

2789

20 ,

— 40

4 8

— 10

— 15

, 4 9

4 10

)

—

1 ;

16.

—

.

)

2 ;

26,  
)

—

—

— 4 10 .  
3

5

5.1

5.2

(4.1—4.3),  
(4.10).

, ,

5.3

5.4

,

5.5

21105.

5.6

500 .,

;


200 .


,

6


6.1

±1,0 .





a




б

1 — )  
4 — ,

; 2 — ( ; 3 — ;  
; 5 — ;

2

, 16 — 6 , , — 6 : 1 — 10 ,



1—  
3—  
6—

, 4 —

, 7—  
, 5—

, 2—  
, 8 —

3—

6.2

(4.6)

,  
—  
—  
—  
;

6.3

6.4

(4.8)

,  
—  
.

7

7.1

,  
—  
.

8

4728

22780);

4728;

, 20

, 20

7.2

7.3

8 15150.

7.4

7,

«

».

7.5

8

8.1

8.2

— 8,5

9

**30237-96**

— 800000

**4**

629.4.027.11:006.354 45.080 41 31 0000

<b>021007</b>	<b>10 08 95</b>		<b>13 02 97</b>		<b>15 04 97</b>	
	0,93	-	0,70	233	206	167
	<b>107076,</b>		,		, 14	
			—	"		
			,	, 6		