



4034-63


Round box nails.
Construction and dimensions

77.140.65
12 7100

01.07.64

1. . 1. . 1. -

<i>d</i>	<i>l</i>	<i>D</i>	
1,4	25 30	3,5	±0,2
1,6	25 35	4,0	
1,8	32 40 45	4,5	
2,0	40 45	5,0	
2,2	50	5,5	±0,3
2,5	50 60	6,0	
3,0	70 80	6,5	



$h \text{ min} = 0,25d$

. 1

2,5 50 :

2,5x50 4034-63


(, . 1).

. 2 4034-63

2.

. 2

. 2.



$$h_{\min} = 0,6d$$

. 2

d	l	D	
1,6	25 35	4,0	$\pm 0,2$
1,8	32 40 45	4,5	
2,0	40 45	5,0	
2,2	50	5,5	$\pm 0,3$
2,5	50 60	6,0	
3,0	70 80	6,5	

2,5

50 :

2,5x50

4034-63

(, . 1).

3.

—

283.

4.

(

, . 1).

<i>dvl</i> ,	1000 ., «	<i>dvl</i> ,	1000 ., «
1,4x25	0,291	1,6x25	0,384
1,4x30	0,351	1,6x35	0,530
1,6x25	0,394	1,8x32	0,610
1,6x35	0,460	1,8x40	0,784
1,8x32	0,641	1,8x45	0,884
1,8x40	0,783	2,0x40	0,970
1,8x45	0,883	2,0x45	1,120
2,0x40	0,990	2,2x50	1,490
2,0x45	1,110	2,5x50	1,910
2,2x50	1,490	2,5x60	2,280
2,5x50	1,920	3,0x70	3,810
2,5x60	2,290	3,0x80	4,360
3,0x70	3,820		
3,0x80	4,380		

.(, . 1, 2).

. 4 4034-63

1.

2.

06.08.63 572

3. 4034-48

4.

283-75	3

5.

5—94

, (11-12—94)

6.

(2009 .)
1987 . (2-81, 4-88)

1, 2,

1980 .,