



		5		<i>D</i>				<i>h</i>	<i>hi</i>	<i>h</i> <sub>2</sub>					• st " . % 2								
1980-0301		2,9	—0 35	30	±0,7, 1	21	±0,7	1,5	2,0	10,5	3	1,5	16°	±1°	207								
1980-0302		3,9						204															
1980-0303		4,4						202															
1980-0304		4,9						200															
1980-0305		5,4						198															
1980-0306		5,9					2,0	197															
1980-0307		6,9	—0,45	30	±0,7	21	±0,7	3,0	3,0	11,5	3	1,5	16	±1	195								
1980-0308		7,9													191								
1980-0309		8,9													185								
1980-0311		9,9													179								
1980-0312		10,9													173								
1980-0313		11,9	—0,50	35	±1,0	25	±0,7	3,5	3,0	13,5	4	2,0	16	±1	286								
1980-0314		12,9													276								
1980-0315		13,9													266								
1980-0316		14,9													256								
1980-0317		15,9		45											475								
1980-0318		16,9													463								
1980-0319		17,9													451								
1980-0321		18,9													438								
1980-0322		19,9	-0,80	50		28		5,0	4,0	14,0						626							
1980-0323		20,9														610							
1980-0324		21,9														593							
1980-0325		23,9														557							

		S		D				h	h\					01	« . fcf 14,6 / 3, —															
1980-0326		24,9	-0,80	50	±1,0	28	±0,7	5,0	4,0	14, 0	5	2,0	16	±1	538															
1980-0327		25,9															519													
1980-0328		26,9		60	±1,2	30	±1,0	6,0	4,5				5		2,5	18	906													
1980-0329		27,9																							883					
1980-0331		29,8																							853					
1980-0332		31,8	-0,90							65	35	± 1,5					7,0	5,0	16,0	6	2,5	18	787							
1980-0333		33,8																					1079							
1980-0334		35,8																					1012							
1980-0335		37,6																					948							
1980-0336		39,6		-1,50	80	±1,5	40	±2,0	5,0				16,0		6	2,5							18	1744						
1980-0337		40,6																				1718								
1980-0338		41,6																				1680								
1980-0339		44,6	90		±1,5	40				±2,0	5,0	16,0					6	2,5	18	2501										
1980-0341		45,6																												2451
1980-0342		47,6																												2348
1980-0343		49,6																												2242
980-0344		52,6																												3908
1980-0345		54,6																												3791
1980-0346		55,6																												3731
1980-0347		59,6																												3481
1980-0348		62,6																												3283
1980-0349		64,6										3146																		

. 4      5426-76

8      5=15,9      -  
-      1980-0317      8      5420-76

3.      -      -

4.      .

1,5      .

5.      -      -

6,      8,      3882-74.  
-      1980-0336-7-1980-0349      -  
15.      -

-      :

6-14,8+15,2 / <sup>3</sup>,  
8—14,7-4-15,1 / <sup>3</sup>,  
10-14,4-5-14,9 / <sup>3</sup>,  
15-**13,9**- 14,6 / <sup>3</sup>.

6.      ,      ,      -  
-      2330-76.

7.      ,      -  
19106-73.

Редактор Н. В. Бобкова

Технический редактор В. Н. Прусакова

Корректор Т. И. Кононенко

Сдано в набор 09.08.88 Подп. в печ. 21.10.88 1,25 усл. п. л. 1,25 усл. кр.отт. 0,95 уч.-изд. л.  
Тир. 4 000 Цена 5 коп.

Ордена «Знак Почета» Издательство стандартов, 123840, Москва, ГСП, Новопресненский пер., 3  
Тип. «Московский печатник», Москва, Лялин пер., 6. Зак. 2697