

**6141-91**

—

**6141-91**

Glazed ceramic tiles for lining of the walls.  
Specifications

57 5210

01.07.91**1.**

1.1.

1.2.


1.3.

1.3.1.

1.3.2.

.1—3.


1

1  
2  
3

/	b	5	
200	200	7	8
150	150	5	6
100	100	5	6




©  
©

, 1991  
, 2002


4  
5  
6

	<i>l</i>	<i>b</i>	
	200	200	8
	150	150	6
	100	100	6
7 8 9	200	200	8
	150	150	6
	100	100	6
10 11 12	200	200	8
	150	150	6
	100	100	6
13 14 15	200	200	8
	150	150	6
	100	100	6
16 17 18 19	200	150	8
	200	100	8
	150	100	6
	150	75	6

Cv1 Cv1-J




:



		<i>l</i>	<i>b</i>	5	
20	)		200 200 150 150	150 100 100 75	7 7 5 5
21					8 8 6 6
22					
23					
24	)		200 200 150 150	150 100 100 75	7 7 5 5
25					8 8 6 6
26					
27					
28	) с завалом трех граней		200 200 150 150 100	150 100 100 75 75	7 7 5 5 5
29					8 8 6 6
30					
31					
32					
33	)		200 200 150 150	150 100 100 75	7 7 5 5
34					8 8 6 6
35					
36					

2


Тип	Форма	Длина <i>l</i>	Ширина <i>b</i>
37	Фасонные угловые детали: а) для отделки внешних углов	—	150



.4 6141-91

38

)




39

)

/

b

150



5»

40

150

50

150


150

41

)

50


-I



42

)


50




/ b

43  
44  
45


)

150  
150  
150  
80  
50  
15046  
47

)


80  
5048  
49

)

80  
50

50

	<i>b</i>	1	1	/,	<i>R</i>	
205	51	187	15	40	13	



1.3.3.

1.3.4.

- ..... +0,8  
 - ..... :  
 » 150 ..... +10  
 » 150 ..... +8

1.3.5.

1,5 .....  
 ( ..... ) ..... 1,0 .....  
 0,5 .....  
 1.3.6.

, .....  
 2: .....  
 2 .....  
 2 ..... 6141-91 .....  
 33: ..... 33 .....  
 33 ..... 6141-91 .....  
 38: .....  
 38 ..... 6141-91 .....  
 50: .....  
 50 ..... 6141-91 .....  
 1.4.

1.4.1.

( ..... ).

1.4.2.

( . )

1.4.3.

.4.

4

	I	II
1.	0,8	1
2.		
- 150		0,5
- 150		1,0

1.4.4.

.5.

5

	I	II
1.		2
2.		1
3.	10	2
4.		2
5.		:
6.	1	2
7.		2
8.	1	2
9.		2
10.	5	2
11.		2
12.		2
13.	( ,	2
	)	:
1.		,
2.	—	3979.

### 1.4.5.

- - - | ;  
- - - || .

### 1.4.6.

0,3

1.4.7.

.6.

6

1.5.9.	—	14192.	«
» «	».		
1.6.			
1.6.1.	,	,	
,			- -
1.6.2.	,	,	
1.6.3.	,	,	,
,			- -
1.6.4.	,	,	
	,	,	
1.6.5.	—	26663.	
1.6.6.	9 ,	17308,	17—05—009,
100 / $\text{cm}^2$ (10 / $\text{cm}^2$ ).		0,5	
	,		
80 .	—	8273	1 2
1.6.7.	,	,	
1.6.8.	15846.		
		<b>2.</b>	
2.1.	,	,	
,	,	,	
2.2.	,	,	
2.3.			
2.3.1.	:	;	
—	;	;	
—	;	;	
—	;	;	
—	;	;	
2.3.2.	,	,	
2.3.3.		. 7.	

					$R_c$
1. 501 1200		20 20	20 40	1 4	4 5
2. 1201 3200		32 32	32 64	2 6	5 1
3. 3201 10000		50 50	50 100	3 8	1 9
4. 10001 35000		80 80	80 160	5 12	9 13
5. 35001 15000		125 125	125 250	7 18	11 19

AQL-4,

1.

2.3.4.

 $R$  $R$ , $R_c$ 

2.3.5.

.....	25
.....	3
.....	3

2.3.6.

2.3.7.

2.3.8.

1.4.7,

1.4.7,

2.4.

2.4.1.

2.5.

27180.

3.

3.1.

27180.

3.2.

4.

4.1.

20435,        22225  
63.30,        23.4.97

,  
15102,  
9570,

(        ).

4.2.

15846.

4.3.

« (        ) »,

4.4.

12.3.009,        12.3.020

4.5.

10

1.

«

»

2.

            
29.12.90    120

3.

2047—88

4.

6141-82

5.

12.3 009-76	4.4
12.3 020-80	4.4
8273-75	1.6.6
9570-84	4.1
14192-96	1.5.9
15102-75	4.1
15846-79	1.6.8, 4.2
17308-88	1.6.6
20435-75	4.1
22225-76	4.1
26663-85	1.6.5
27180-2001	2.5, 3.1
3979-83	1.4.4
23.4.97-81	4.1
63.30-78	4.1
17-05-009	1.6.6

6.

2002 .

02354 14.07.2000. 31.10.2002. 27.11.2002. . . . 1,86. .- . . 1,35.  
94 . 8633. . 1064.

, 107076 , .., 14.  
http://www.standards.ru e-mail: info@standards.ru

— . « » , 105062 , ., 6.  
080102