

8295-73

6-97

8295-73Graphite of lubricants.
Specifications

57 2821

01.01.75**1.**

1.1. (1). -1, -2, -3, -4 17022.

2.

2.1.

	-1	-2	-3	-4		
, %, (* ₆), %, (pH), %, 02, 016, 0063	0,5 0,5 0,5 0,5	1,0 0,5 0,5 1,0	2,0 0,5 0,5 6,0-8,2	5 1,0 1,0 0,1 1,2	7,0 1,0 1,0 0,2 0,1 1,5	17818.4 17818.3 17818.1 17818.17 17818.6 17818.2

©

, 1973
, 1998

	-1 -2 -3 -4				17818.7
6 , %>, - %, (°),	40				91

1. 100 %

2.

3. 0063 55 % .

(, . . . 1, 2, 3, 4).

(, . . 1).

(, . . 3).

3.

3.1.

(, . . . 1, 2, 3).

10 %

10

(, . . . 1,3).

, —

4

4.1. — 17817.
4.2. 21

5.

5.1.

2226

30

15846.

5.2.

14192.

5.3.

5.4.

5.5.

.5. (

3).

6.

6.1.

—3

(6.2. (

1, 2).

7.

7.1.

12.1.005.

IV

7.2.

12.1.005.

10 / 3.

7.3.

.7. (

4).

12.1.007.

1.

. . (. .), . .

2.

28.09.73 2229

3.

8295-57

4.

,	
12.1.005-88	7.1, 7.2
12.1.007-76	7.3
2226-88	5.1
14192-96	5.2
15846-79	5.1
17022-81	1.1
17817-78	4.1
17818.1-90	2.1
17818.2-90	2.1
17818.3-90	2.1
17818.4-90	2.1
17818.6-90	2.1
17818.7-90	2.1
17818.17-90	2.1

5.

(3—93 17.02.93)

,

6.

1983 ., (1997 .) 1988 ., 1994 .(1, 2, 3,
 2—79, 10—83, 6—88, 3—95) 1978 .,

021007 10.08.95. 28.11.97. 18.12.97. . . . 0,93. .- . . 0,45.
— . 200 . 1234. . 902. , 107076, , ., 14.
— . “ ”, , ., 6
080102