



-

3995—73

8995.75*

Single row angular ball bearings with split
inner ring Types and boundary dimensions

8995—59

28 1975 . 1951

01.07.76

1.

,)

(-

2.

176000 —
126000 —

3

1.


.] 2 . 1—5.

(1984 , 1984) 3303 25 09.84 (9 1,
12 84)

©

, 1985

176000


* -26° ().

d — ; Z? —

; — ; — j h

1

126000

* -26° ().

d — ; D —

; — ; —

2

		<i>d</i>	<i>D</i>	&			, «		
}76000 J26000									
176100	126100	10	26	8	0,5	1,0	0,025		
176101	126101	12	28				0,027		
176102	126102	15	32				0,038		
176103	126103	37	36				0,050		
176104	126104	20	42				0,088		
176105	126105	25	47				0,102		
176106	126106	30	55	13	1,5	2,0	0,148		
176107	126107	35	62	14			0 96		
17610«	126108	40	68	15			0,243		
176109	126109	45	75	16			0,308		
176110	126	50	80				0,334		
176111	126111	55	90				0,489		
176112	126112	60	95	18	2,5	3,0	0,522		
176113	126113	65	100				0,566		
176114	126114	70					0,770		
176115	126115	75	115				0,813		
176116	126116	80	125	22	2,5	3,0	3,08		
176117	126117	85	130				1,14		
176118	126118	90	140				1,48		
176119*	126119*	95	145	24	2,5	3,0	1,52		
176120	126120	100	150				1,60		
176122	126122		170				2,55		
176124	126124	120	180	28	2,70	3,0	2,70		
176126	126126	130	200				3,50		
176128	126128	140	210				4,35		

*

/

		<i>d</i>				
176000	126000					, «'
176130	126130	150	225	35		5,3
176132	126132	160	240	38		6,5
176134	126134	170	260	42	3,5	8,7
176136		180	280	46		,4
176138		190	290	46		11,9
176140	—	200	310	51		15,4
176144		220	340	56	4,0	20,2
176148	—	240	360	56		21,6
176152	—	260	400	65		32,2
176156		280	420	65	5,0	34,2
176160	—	300	460	74		48,3
176164	—	320	480	74		54,7
176168	—	340	520	82	6,0	68,0

2

7,

1

1176000	*	<i>D</i>				,
1176720	100	165	30			2,7
1176722		180	33	3,0		—
1176724	120	200	38			4,75
1176726	130	210				—
1176728	140	225	40			—
1176730	150	250	46	3,5		—
1176732	160	270	51			—
1176734	170	280				11,6
1176736	180	300	56			—
1176738	190	320	60	4,0		—
1176740	200	340	65			—

2,

		<i>d</i>	<i>D</i>			
176000	120000					,
176204	-	20	47	14		0,13
176205	-	25	52	15	1.5	0,16
176206	126206	30	62	16		0,24
176207	126207	35	72	17		0,35
176208	126208	40	80	18	2.0	0,45
176209	126209	45	85	19		0,52
176210	126210	50	90	20		0,59
176211	126211	55	100	21		0,77
176212	126212	60	110	22		0,99
176213	126213	65	120	23	2.5	1,22
176214	126214	70	125	24		1,32
176215	126215	75	130	25		1,47
176216	126216	80	140	26		1,84
176217	126217	85	150	28	3,0	2,26
176218	126218	90	160	30		2,75
176219*	126219*	95	170	32		3,22
176220	126220	100	180	34	3,5	4,03
176222	126222		200	38		5,60
176224	126224	120	215	40		6,94
176226	126226	130	230			7,74
176228	-	140	250	42	4,0	9,84
176230	-	150	270	45		12,4
176232	-	160	290	48		15,4
176234	-	170	310	52		19,3
176236	-	180	320		5.0	20,4
176238	-	190	340	55		24,4

*

*

		<i>d</i>	<i>D</i>				
176000	1 126000						
176240	—	200	360	58			29,0
176244	—	220	400	65	3,0		40,0
176248	—	240	440	72			54,1
176252	—	260	480	80			71,5
176256	—	280	500	80			75,5
176260	—	300	540	85			94
176264	—	320 1	580	92			118

1

3,

176000	<i>d</i>	<i>D</i>					
176303	17	47	14	1,5			0,14
176304	20	52	15				0,8
176305	25	62	17				0,29
176306	30	72	19				0,42
176307	35	80	21				0,57
176308	40	90	23				0,78
176309	45	100	25				1,04
176310	50		27				1,37
1763	55	120	29				1,74
176312	60	130	31				2,14
176313	65	140	33				2,71
176314	70	150	35				3,16
176315	75	160	37				3,88
176316	80	170	39				4,59
176317	85	180	41	4,0			5,47

176000	<i>d</i>	<i>D</i>			,
176338 90		190	43	4,0	6,43
176320	100	215	47		9,3
176322	110	240	50		12,5
176324	120	260	55		16,0
176326	130	280	58		19,7
176328	140	300	62		24,0
176330	150	320	65		29,1
176332	160	340	68		34,3
176334	170	360	72		40,7
176336	180	380	75		46,8
176338	190	400	78	6,0	54
176340	200	420	80		61
176344	220	460	88		81
176348	240	500	95		103
176352	260	540	102	8,0	132
176356	280	580	108 1		157

9, 1

176000	126000	<i>d</i>	<i>D</i>			,
1176920	1126920	100	140	20		1,03
1176922	1126922		150	20	2	1,22
1176924	1126924	120	165	22		1,43
1176926	1126926	130	180	24	2,5	2,06
1176928	1126928	140	190	24		2,34
1176930	1126930	150	210	28	3	3,20

		<i>d</i>	<i>D</i>			
J76000	126000					,
1176932	1126932	160	220	28	3	3,54
1176934	1126934	170	230	28		3,62
1176936	1126936	180	250	33		5,50
1176938	1126938	190	260	33		5,56
1176940	1126940	200	280	38		6,85
1176944	1126944	220	300	38		8,86
1176948	1126948	240	320	38		9,18
1176952	1126952	260	360	46		14,47
1176956	1126956	280	380	46		16,50
1176960	1126960	300	420	56		22,45
1176964	26964	320	440	56	4	27,40

176000,
= 16 :

1, d = 50 , D=80 ,

176110 8995—75

(, . 1). — **520—71,**
 4.
 5.
 — **3325—55.**
 6.
7,85 / .
 7. () () 2.
 6, 7. (, . 1).

,
,

,

,

,

1, 0

d.

		,					d.		
176000	126000		0	176000	126000	0		,	
176100	126100	10	4950	2180	176119	126119	95	66800	50100
176101	126101	12	—	—	176120	126120	100	71500	55100
176102	126102	15	5550	2500	176122	126122		96300	73500
176103	126103	17	—	—	176124	126124	120	101000	80800
176104	126194	20	—	—	176126	126126	130	127000	103000
176105	126105	25	—	—	376128	126128	140	134000	109000
176106	126106	30	14500	7880	176130	126130	150	144000	120000
176107	126107	35	—	—	176132	126132	160	162000	137000
176108	126108	40	17000	9720	176134	126134	170	195000	169000
176109	126109	45	22500	13400:	176136	—	180	—	—
176110	126110	50	—	—	176138	—	190	—	—
176111	126111	55	32600	17300	176140	—	200	251000	245000
176112	126112	60	37400	24500	176144	—	220	306000	320000
176113	126113	65	—	—	176148	—	240	—	—
176114	126114	70	46100	31700	176152	—	260	—	—
176135	126115	75	47300	33400	176156	—	280	—	—
176116	126116	80	56000	40100	176160	—	300	—	—
176117	126117	85	57400	42100	176164	—	320	418000	^ 523000
176118	126118	90	63500	47200	176168	—	340	----	—

7, 1

-		d,					,		
			—	—	—	—		—	—
1176720		100	105000	75100	1176732	160		—	—
1176722			—	—	1176734	170	237000	215000	—
1176724		120	152000	114000	1176736	180	—	—	—
1176726		130	—	—	1176738	190	—	—	—
1176728		140	—	—	1176740	200	—	—	—
1176730		150							

2,

		d.	-				d,	-	
					176000	126000			
17G000	126000								
176204		20	14800	7640	176222	126222	110	180000	140000
176205	—	25	14800	7650	176224	126224	120	188000	150000
176206	126206	30	20700	11000	176226	126226	130	192000	156000
176207	126207	35	29000	16300	176228	—	140	221000	188000
176208	126208	40	36800	26600	176230	—	150	233000	208000
176209	126205	45	38700	23100	176232	—	160	272000	256000
176210	126210	50	40600	24900	176234	—	170	303000	300000
176211	126211	55	50300	31500	176236	—	180	280000	272000
176212	126212	60	58000	36100	176238	—	190	312000	319000
176213	126213	65	60000	41300	176240	—	200	370000	400000
176214	126214	70	—	—	176244	—	220	330000	348000
176215	126215	75	78400	53800	176248	—	240	—	—
176216	126216	80	87900	60000	176252	—	260	490000	600000
176217	126217	85	94400	65100	176256	—	280	—	—
176218	126218	90	111000	76200	176260	—	300	—	—
176219	126219	95	—	—	176264	—	320	—	—
176220	126220	100	142000	99500					

3,

		d.	,				,	
				"				"
17G000	126000							
176303	17	16100	8000	176320	100	213000		176000
176304	20	17800	9000	176322		—		—
176305	25	25000	13100	176324	120	—		—
176306	30	32600	18300	176326	130	—		—
176307	35	40000	22500	176328	140	—		—
176308	40	47200	27600	176330	150	357000		370000
176309	45	61400	37000	176332	160	—		—
176310	50	71800	44000	176334	170	—		—
176311	55	82800	51600	176336	180	—		—
176312	60	100000	65300	176338	190	—		—
176313	65	113000	75000	176340	200	—		—
176314	70	122000	80000	176344	220	—		—
176315	75	—	—	176348	240	—		—
176316	80	136000	99000	176352	260	—		—
176317	85	163000	120000	176356	280	—		—
176318	90	165000	122000					

9,

1

		,	-				d,	-	
176000	126000		,	9	176000	126000		0	
1176920	1126920	100	—	—	1176938	1126938	190	150000	142000
1176922	1126922	110	—	—	1176940	1126940	200	172000	163000
1176924	1126924	120	—	—	1176944	1126944	220	—	—
1176926	1126926	130	—	—	1176948	1126948	240	—	—
1176928	1126928	140	80000	72000	1176952	1126952	260	—	—
1176930	1126930	150	—	—	1176956	1126956	280	—	—
1176932	1126932	160	—	—	1176960	1126960	300	—	—
1176934	1126934	170	117000	108000	1176964	1126964	320	328000	397000
1176936	1126936	180	—	—					

1—5.

(, . 1).

«

Single row angular contact ball bearings with one split ring. Types and boundary dimensions».

: (4943—84).

(122)

121

8995 75)

1, 2

(

: «1.

-

)

-

4943—84.

-

2.

176000 —

126000 —

116000 —

,

1».

,

(

, . 123)

3.
. 1-3»;
);

1, 2

, «

. 1 2» «


— 3 (

):


176000

126000


116000



Черт 1



. 2



. 3

1, 2

— sm in (

);

1

1

<i>d</i>	10	12	15	17	20	25	30	35	40	45	50	55
<i>r_s min</i>	0,3	0,3	0,3	0,3	0,6	0,6	1,0	1,0	1,0	1,0	1,0	i, i

<i>d</i>	60	65	70	75	80	85	90	95	100	110	120	130
<i>r_s min</i>	i, i	i, i		1, 1	i, i	1, 1	1, 5	1, 5	1, 5	2, 0	2, 0	2, 0

(. . 124)

<i>d</i>	140	150	360	170	180	190	200	220	240	260	280	300	320	340
<i>r_{smin}</i>	2,0	2,1	2,1	2,1	2,1	2,1	2,1	3,0	3,0	4,0	4,0	4,0	4,0	5,0

. I—6. r_{smin} —

2

<i>d</i>	100	no	120	130	140	150	160	170	180	190	200
<i>r_{smin}</i>	2,0	2,0	2,0	2,0	2,1	2,1	2,1	2,1	3,0	3,0	3,0

3
):— 116000 (126000), r_{smin} (-

116000	<i>d</i>	<i>r_{smin}</i>	116000		<i>d</i>	<i>r_{smin}</i>
			116000	116000		
116204	20	1,0	116222			2,1
116205	25	1,0	116224	120		2,1
116206	30	1,0	116226	130		3,0
116207	35	1,1	116228	140		3,0
116208	40	1,1	116230	150		3,0
116209	45	1,1	116232	160		3,0
116210	50	1,1	116234	170		4,0
116211	55	1,5	116236	380		4,0
116212	60	1,5	116238	190		4,0
116213	65	1,5	116240	200		4,0
116214	70	1,5	116244	220		4,0
116215	75	1,5	116248	240		4,0
116216	80	2,0	116262	260		5,0
116217	85	2,0	116256	280		5,0
116218	90	2,0	116260	300		5,0
116219*	95	2,1	116264	320		5,0
116220	100	2,1				

4
):— 116000 (176000), r_{STnIn} (-

(. . 125)

(

8995 75)

116000	d	r _{smin}	116000	d	r _{smln}
116303	17	1,0	116320	100	3,0
116304	20	1,1	116322		3,0
116305	25	1,1	116324	120	3,0
116306	30	1,1	116326	130	4,0
116307	35	1,5	116328	140	4,0
116308	40	1,5	116330	150	4,0
116309	45	1,5	116332	160	4,0
116310	50	2,0	116334	370	4,0
116311	55	2,0	116336	180	4,0
116312	60	2,1	116338	190	5,0
116313	65	2,1	116340	200	5,0
116314	70	2,1	116344	220	5,0
116315	75	2,1	116348	240	5,0
116316	80	2,1	116352	260	6,0
116317	85	3,0	116356	280	6,0
116318	90	3,0			

5

— r_{smln} (^):

d	100	110	120	130	140	150	160	170	180	19	200	220
r _{smln}		1,1	1,1	1,3	1,5	2,0	2,0	2,0	2,0	2,0	2,1	2,1

d	240	260	280	300	320
r _{smin}	2,1	2,1	2,1	3,0	3,0

— : « . 1 1989 . -

r_{smin},

. 6.

(. . 126)

(8995—75)

6

^{r.ymin}

^{r.ymin}

d

10	0,3		195)	1,8	2.5		
12	0,3		00	1,8	2.5	3.0	1.3
15	0,3		10	2.3	2.5	3.0	1.3
17	0,3		20	2.3	2.5	3.0	1.3
20	0,7	1,1	30	2.3	2.3	3.7	
25	0,7	1,1	40	2.3	2.5	3.7	1,8
30	1,1	1,1	50	2.5	2.5	3.7	1,8
35	1,1	1,3	60	2.5	2.5	3.7	2,3
40	1,1	1,3	70	2.5	2.5	3.7	2,3
45	1,1	1,3	80	2.5	3.0	3.7	2,3
50	1,1	1,3	190	2.5	3.0	3.7	4,7
55	1,3	2,3	200	2.5	3.0	3.7	2,3
60	1,3	1,8	220	2.5	3.0	4,7	2,5
65	1,3	1,8	240	2.5	3.0	4,7	2,5
70	1,3	1,8	260	3.7	4,7	6,0	2,5
75	1,3	1,8	280	3.7	4,7	6,0	2,5
60	1,3	2,3	300	3.7	4,7		3,0
85	1,3	2,3	320	3.7	4,7		3,0
90	1,8	2,3	34	4,7			

7

: «

()

116000

o

126000

(11 1985 .)

29.10.84 . . . 11.01,85 1,0 . . 1,0 . . 0,70 . .
16000 5 . .
« . . » . .
, . . 3, . . 123840, . .
, . . , . . 12/14. . . 5087

S
mol
cd

KR

rad
sr

7					-
	✓	✗	-	-	
			Hz N J W V F S Wb 1 1 Bq Gy Sv	-1 - - "2 ~* • - -2 2- ~2 M²Kr[*]C[^] * 2- * "3 * -1 "2 ~1- ** 2- - ~* 2 -~1 3* 2 2- * *2 "1 - -*2 * "1 2* "2* ~® - "2 - • C-i 2 ~2	