

9169-75

9169-75

Clayish materials for ceramic industry.
Classification

57 5100

01.07.76

1.

2.

Al_2O_3 ;
 $(\text{Fe}_2\text{O}_3 \text{, } \text{Mn}_2\text{O}_3)$;

3.

.1.

1

	1580 1350 1580 1350

(Al_2O_3 , Mn_2O_3 , Fe_2O_3).

4.

 Al_2O_3

	Al_2O_3 , %
	.45 » 38 45 28 » 38 28 » 14 » 14

5.

.3.

©
©

, 1975
, 2001

3

			, %	
			2	3
			1,0	
			1,0	
			1,0	1,0
			.2,0	.2,0

(, . 1).

6.

. 4.

4

	100	,
	1	5
	.5	» 10
	» 10	

7.

. 5.

5

	(. 50 %)	

8.

,

. 6.

6

			, %,	
			10	1
			.85	.60
			» 60 85	» 40 60
			» 30 » 60	» 15 » 40
			30	15

9.

,

. 7, 8, 9.

7

8

	0,5 , %	(. 50 %),
	1 1 .5	1 1 .5

		(.50 %)
	,	,
	,	,
	,	,
	,	,
10.		,
.10.		
		10
		.25
		»15 25
		»7 »15
		»3 »7
11.		
	,	
	.11.	
		11
		,
		1
		1 2
		»2 »5
		»5 »10
		.10
(
12.	,	
	.12	13.
		5
		12
		,
		°
		1100
		.1100 1300
		»1300
		13
		,
		%
		2
		2 5
		.5
1.	:	
	50 ° .	
2.		,
	0,05-10 ³ / 3.	

13.

,

14.

14

	, %
	.10 25
	»25

14.

— 4069;
 Fe_2O_3 — 2642.4;
 (Fe₂O₃) — 2642.5
 — 21216.7;
 — 21216.6;
 — 21216.8;
 — 21216.5;
 — 21216.10;
 — 21216.2;
 — 21216.4;
 — 21216.1;
 — 19609.22;
 — 21216.9;
 — 21216.9.

15.

10 / 2

(10 1,2 % Fe₂O₃)

(, . 1).

1.

2.

05.11.75 2782

3. 9169-59

4. -

,	
2642.4-93	14
2642.5-93	14
2642.6-93	14
19609.22-89	14
21216.1-93	14
21216.2-93	14
21216.4-93	14
21216.6-93	14
21216.7-93	14
21216.8-93	14
21216.9-93	14
21216.10-93	14

5.

12.04.91 497

6. (2001 .)
1991 .(4-86, 7-91)

1, 2,

1985 .

02354 14.07.2000. 31.10.2001. 13.11.2001. . . . 0,93.
- . . 0,65. 112 2615. . 408.

, 107076,
<http://www.standarcis.ru> , , 14.
e-mail: info@standards.ru