



**9983—74
(2709—80)**

9983—74

Rubber. Methods of tests for repeated
buckling of the pieces with a straight groove

(CT 2709—80)

2509

01.01.76
01.01.93

().


1.

1.1.
1.1.1.

©

, 1989

1-1.2.
. 1.



Черт. 1

1.1.3.

(
1.1.4.

2,5—3

1.1.5.

28

16

(

1).

3

1.1.6.

(23±2)°


1.2.

1.2.1.

[(300± 10) /];

(5,00±0,17)

(57,0) ;



Черт. 2

1.2.2.

(75,0

0,25

)

50

(
 1.1.4—1.2.2 (2)*
 1.2.3. 1).

$N - v4$,
 $v -$ / ;

1.2.4. (1).

2

2.1.

(23±2) °


2.2.

0,01

2.3.

2.4.

3.



3

2.5.

A

 $(65,0+10)$
 (. 3.1).

2.6.

1,5.

2.1 — 2.6. (1).

2.7

. 2.4

2.8. (L_0)

0,1 ,

$(65,0 + 1^{\circ})$

$(65,0 + ^{\circ})$

1, 3, 5, 10, 20, 50, 100, 300

(, . 1).

3.

3.1.

3.1.1.

:

\ !

1 , , , ,

10

2 10 , , , ,

10,

0,5

3 , , , ,

0,5 1,0

4 , , , ,

1,0 1,5

5 , , , ,

1,5 3,0

6 , , , ,

3,0*

3.1.2,
(1 6),

—

, , , ,

3.1.3.

,

(1).

(, . 2).

3.1.4.

3.2.

3.2.1.

,

—

$(L_0 + 10)$ $(L_0 + 2)$; $(L_0 + 2)$; $(L_0 + 6)$; $(L_0 + 6)$

3.2.2.

3.2.3.

,

;

;

;

;

;

;

(, . . . 2),

J.

2.

07.01.74

18

3.

9983—62.

4.

2709—80

5.

1982 . (1989 .) 1, 2
1987 . (9—82, 10—87).

6.

01.01.93

18.06.87 2159